

STATE OF CONNECTICUT



One Hundred and Fortieth
REGISTRATION REPORT

1987

STATE OF CONNECTICUT

ONE HUNDRED AND FORTIETH
REGISTRATION REPORT

of

Births, Marriages, Divorces and Deaths

for the

YEAR ENDING DECEMBER 31, 1987

Issued by
THE STATE DEPARTMENT OF HEALTH SERVICES
HARTFORD

Published by the State

Price \$10.00*

*Also, with the purchase of this report, modified copies of the report tables may be obtained on 5 1/4 inch floppy disks [i.e. 360K, PC DOS/MSDOS format only]. Please call 566-5451 for additional information.

STAFF

Division of Health Surveillance and Planning

Richard J. Gruber
Director

Lloyd Mueller
Research Analyst

Leah Weintrub
Research Analyst

Joan Shaia
Senior Clerk

Vital Statistics

Kathryn Church
Registrar

Doris Krulicki
Head Vital Records Technician

Data Processing Division, Office of the Deputy Commissioner

Phil Mollison
Chief, Data Management

Conrad Wopperer
Senior Systems Analyst

DEPARTMENT OF HEALTH SERVICES


HARTFORD, 1989

To His Excellency, William A. O'Neill, Governor of the State of Connecticut:

Sir:

In compliance with the laws of the State, I have the honor to present to you the one hundred and fortieth report, relating to the births, marriages, divorces and deaths that were registered in Connecticut in the year 1987.

Very respectfully,



Frederick G. Adams, D.D.S., M.P.H.
Commissioner of Health Services

Frederick G. Adams, D.D.S., M.P.H.
Commissioner of Health Services

Sir:

I have the honor to submit herewith the annual registration report for the year 1987, prepared by the Division of Health Surveillance and Planning. At this time I wish to express my appreciation of the work performed by the division staff in preparing this report. I would also like to extend my appreciation to the staff of the Vital Statistics Section, who are responsible for overseeing the registration of vital events and for data collection and coding, and to the staff of the Data Processing Division, who are responsible for data entry and file maintenance.

Respectfully,



Marie V. Roberto, M.S., R.N., C.N.S.
Deputy Commissioner of Health Services

CONTENTS

Vital Statistics for 1987	Page
Summary for Year	5
Population Estimate, 1987	5
Births	6
Fetal Deaths	6
Deaths	6
Leading Causes of Death	6
Infant Mortality	7
Marriages	7
Marriage Dissolutions	7

TABLES

Table No.

1	Population Estimate, 1987, by age and sex	8
2	Estimate of population and vital statistics by towns of residence and towns of occurrence.....	9
3	Live births, Connecticut residents by age of mother.....	17
4	Live births to residents of Connecticut towns by race, low birthweight and maternal age	19
5	Fetal deaths occurring in Connecticut	33
6	Causes of fetal deaths occurring in Connecticut	35
7	Causes of death, Connecticut residents	36
8	Causes of death among nonwhites	40
9	Deaths under one year of age (infants)	44
10	Selected causes of infant deaths	49
11	Leading causes of death by age groups	53
12	Number of present marriage for brides and grooms	55
13	Previous marital status of brides and grooms	55
14	County of Dissolution of marriages	56
15	Children under 18 involved in dissolution of marriages	56
16	Duration of marriages dissolved in 1987	56
	Glossary	57
	Rates, calculation of	58

REGISTRATION REPORT OF VITAL STATISTICS IN CONNECTICUT

Summary For Year

The Annual Registration Report of Vital Statistics, 1987, is a statistical summary of vital events for the State of Connecticut. Presented are data pertaining to births, deaths, marriages, and divorces.

Certain qualifications must be made with regard to the data contained herein, and should be kept in mind when examining data sets:

A. Completeness of Registration

The Connecticut Department of Health Services reciprocates with other states and the provinces of Canada in exchanging copies of birth and death records for non-residents. Registration of births in Connecticut is virtually 100% complete and there is virtually no underreporting of deaths. Because there is no interstate transfer of marriage and divorce records, it is not possible to determine the completeness of registration of these events to Connecticut residents. The interstate transfer of fetal death records has been inconsistent; however, in most years these records appear to be 99% complete.

B. Comparability of Cause-of-Death Data

The system for classifying causes of death, the International Classification of Diseases (ICD), is revised every ten years to reflect changes in medical practices and new medical knowledge. Each revision results in a degree of discontinuity in cause-of-death statistics. A ratio of comparability must be used to adjust for changes in classification from one ICD revision to another. Causes of death in 1987 were coded using the ninth revision of the ICD, which became effective in 1979, and the Addendum to the International Classification of Diseases Ninth Revision for the Classification of Human Immunodeficiency Virus Infection.

C. Comparison of Rates

Caution should be used in drawing conclusions based on rates which are calculated from small numbers of events or for small geographic areas. Because these rates may vary considerably, use of them for comparison purposes or for estimating future events will be limited.

D. For Further Information

Further information can be obtained by contacting the Division of Health Surveillance and Planning, 150 Washington Street, Hartford, Connecticut 06106, Telephone numbers 566-5451 or 566-1120.

POPULATION ESTIMATE, 1987

The estimated population of Connecticut as of July 1, 1987 was 3,277,980. This reflects a natural increase (difference between births and deaths) of 18,692, and a net migration into Connecticut of 17,788. The population estimated for 1987 is an increase of 1.13% over the previous year. The population of each town in Connecticut is estimated yearly using the preceding U.S. decennial census as a base line. Changes are calculated by using known births and deaths and by estimating migration using school enrollment and housing unit changes.

BIRTHS

In 1987 the number of resident live births was 46,941. This represents an increase of 2,060 from 1986 and an increase in the birth rate from 13.8 to 14.3 per 1,000 population. The total number includes 39,792 White births, 6,840 Nonwhite births (of which 86.0% were Black and 14.0% were Other Races), and 309 births of Unknown Race. There were 1,134 births to Connecticut residents occurring out of state, 2.4% of the total births. There were 4,023 births to teenage mothers (19 years of age or less). This was 8.6% of all births, a decrease from 8.8% in 1986. Included in births to teenage mothers were 2,633 White infants, 1,369 Nonwhite infants (consisting of 95.3% Black and 4.7% Other Races), and 21 infants of Unknown Race.

FETAL DEATHS

The fetal death ratio increased in 1987 with a total count of 353 or 7.5 deaths per 1,000 live births occurring in Connecticut compared to 304 deaths and a ratio of 6.8 in 1986.

DEATHS

The number of registered deaths among Connecticut residents for 1987 was 28,249, for a crude rate of 8.6 per 1,000 population. Of the total number of residents deaths, 14,213 were males and 14,036 were females.

When total resident deaths are examined by age of the deceased, the greatest number occurred among persons 80 years of age or over. Deaths in this age group numbered 10,492 in 1987, or 37.1% of the total number of resident deaths. The median age at death was 74.6. Death for females occurred at an older age than males, a median of 75.6 and 69.9 respectively.

LEADING CAUSES OF DEATH

In 1987 as in 1986, the five leading causes of death, in the order of their proportional share of the total number of deaths, were diseases of the heart, malignant neoplasms, cerebrovascular disease, influenza and pneumonia and accidents. The leading cause of death of the age group 1 to 44 was accidents. Between 45 and 64 years of age, the leading cause was malignant neoplasms and for 65 years and over it was diseases of the heart.

Diseases of the Heart

Heart diseases accounted for 10,219 resident deaths in 1987, for a total proportional share of 36.2%. The median age at death from heart disease was 75.4. Acute myocardial infarction claimed a 27.8% share of total heart disease mortality with a 38.7% share attributed to other ischemic heart disease. Median age at death from myocardial infarction was 74.7; for other ischemic heart disease, median age was 79.8.

Malignant Neoplasms

There were 6,940 deaths attributed to malignant neoplasms in 1987, a proportional share of 24.6% of all resident mortality. The median age at death due to cancer was 69.8. Malignant neoplasms of the digestive organs accounted for 26.5% of all deaths in this category. This site is followed by malignant neoplasms of the respiratory system (25.9%), of the genitourinary system (14.1%), of the breast (9.5%) and of the lymphatic and hematopoietic tissue (9.3%).

Cerebrovascular Disease

Cerebrovascular disease was responsible for 1,749 resident deaths in Connecticut. This cause of death had a proportional share of 6.2% of total resident deaths, a decrease from 6.3% in 1986. The median age at death from cerebrovascular disease was 79.8.

Influenza and Pneumonia

There were 974 deaths from these causes; amounting to 3.4% of all resident deaths, a decrease from 3.7% in 1986. The crude mortality rate per 100,000 population was 29.7.

Accidents

A total of 943 accidents, of all types, accounted for 3.3% of all resident deaths in 1987. This is the same as the proportional share in 1986. Of this total 48.5% was attributed to resident motor vehicle accidents, an increase from 47.3% in 1986. Over thirty-eight percent (38.9%) of all motor vehicle deaths occurred to those 24 years of age and less. The leading cause of non-motor vehicle accidents was falls, which had a 15.3% share of the total accidents.

INFANT MORTALITY

There were 410 resident infant deaths in Connecticut in 1987, a rate of 8.7 per 1,000 live births, compared to the previous year's total of 406, or 9.0 deaths per 1,000 live births. From 1986, this represents an increase in the number of infant deaths of 1.0%. Connecticut was under the provisional 1987 national rate of 10.0 infant deaths per 1,000 live births. Of all resident infant deaths, 47.1% occurred within the first day of life, 63.4% within the first week and 72.0% within the first month. Neonatal deaths showed a 3.0% decrease from 304 in 1986 to 295 in the current year.

While the statewide infant death rate has been dropping steadily in recent years, this decline has taken place to a large extent outside the state's major urban areas and among predominantly white populations. Among White infants, there were 39,792 births and 290 deaths in 1987, yielding an infant mortality rate of 7.3 per 1,000 live births. Among Nonwhite infants, there were 6,840 births and 114 deaths, with a corresponding rate of 16.7.

MARRIAGES

Marriages occurring in Connecticut totaled 27,106 in 1987, a 1.0% decrease from the previous year. The current year's total represents a marriage rate of 16.5 persons marrying in Connecticut per 1,000 population, compared to 16.9/1,000 in 1986. The median age at marriage for grooms was 28.0, and for brides, 26.0. These are the same as the median ages in 1986.

MARRIAGE DISSOLUTIONS

There were 12,052 marriages dissolved in Connecticut during 1987, for a marriage dissolution rate of 7.4 persons per 1,000 population. The current rate is an increase of 4.2% over the previous year.

Duration of Marriage

The median duration of those marriages which terminated in 1987 was 8.0 years, which is the same as the median duration in 1986 and shorter than the median duration of 9.0 years in 1985.

Connecticut State Department of Health Services
Health Surveillance and Planning Division

Table 1: Population Estimate of Connecticut by Age and Sex
As of July 1, 1987

<u>AGE GROUP</u>	<u>MALE</u>	<u>FEMALE</u>	<u>TOTAL</u>
TOTAL	1,579,810	1,698,170	3,277,980
0- 4	111,000	105,540	216,540
5- 9	104,530	100,250	204,780
10-14	99,100	94,870	193,970
15-19	122,720	118,870	241,590
20-24	133,040	132,600	265,640
25-29	134,630	138,230	272,860
30-34	138,050	135,770	273,820
35-39	120,020	127,400	247,420
40-44	109,220	117,750	226,970
45-49	85,270	91,100	176,370
50-54	75,490	81,120	156,610
55-59	80,790	86,990	167,780
60-64	77,540	87,980	165,520
65-69	68,740	83,180	151,920
70-74	50,940	68,210	119,150
75-79	34,420	53,450	87,870
80-84	19,670	37,320	56,990
85 & over	14,640	37,540	52,180
65+	188,410	279,700	468,110

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1987

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1987																		
Column Number	Population estimated as of July 1, 1987	Place of Occurrence				Place of Residence										RESIDENT RATES PER 1,000 POPULATION		
		Live Births	Fetal Deaths	Deaths	Marriages	Live Births				Fetal Deaths		Total Deaths		Marriages		Live Births	Deaths	Persons Marrying
						Total		Out-of-Wedlock		All Races	Nonwhite	All Races	Nonwhite	Groom	Bride			
						All Races	Nonwhite	All Races	Nonwhite									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	
CONNECTICUT	3,277,980	47,032	353	28,346	27,106	46,941	6,840	11,055	1,503	325	69	28,249	1,771	23,711	24,602	14.3	8.6	14.7
HSA I, Southwestern	646,100	9,928	88	5,426	5,385	8,916	1,950	1,758	813	78	21	5,619	524	4,260	4,528	13.8	8.7	13.6
Bridgeport	143,340	4,979	61	2,354	1,095	2,842	1,030	682	390	34	14	1,567	258	1,229	1,192	19.8	10.9	16.9
Darien	18,970	0	1	55	210	224	5	24	2	1	1	126	1	61	92	11.8	6.6	8.1
Easton	6,380	1	1	7	37	73	0	7	0	4	0	38	0	26	26	11.4	6.0	8.2
Fairfield	55,730	0	0	303	422	557	15	33	2	6	0	546	4	294	347	10.0	9.8	11.5
Greenwich	60,370	1,120	6	510	602	589	31	112	14	4	0	496	17	288	336	9.8	8.2	10.2
Monroe	17,000	0	0	25	77	224	6	14	2	2	0	86	1	86	92	13.2	5.1	10.5
New Canaan	18,600	0	0	68	199	176	4	23	1	0	0	123	2	79	114	9.5	6.6	10.4
Norwalk	80,060	1,644	6	839	645	1,239	268	324	162	7	2	638	86	650	658	15.5	8.0	16.3
Stamford	108,290	2,179	13	865	919	1,590	494	394	212	13	3	855	124	861	884	14.7	7.9	16.1
Stratford	50,680	2	0	158	378	550	65	52	23	4	1	538	26	327	329	10.9	10.6	12.9
Trumbull	33,760	1	0	107	322	349	16	31	4	2	0	271	3	141	221	10.3	8.0	10.7
Weston	9,090	1	0	14	69	77	4	12	1	0	0	40	0	34	36	8.5	4.4	7.7
Westport	26,690	1	0	84	314	263	10	33	0	0	0	193	2	121	136	9.9	7.2	9.6
Wilton	17,140	0	0	37	96	163	2	17	0	1	0	102	0	63	71	9.5	6.0	7.8
HSA II, South Central	623,700	9,242	88	6,479	4,922	9,069	1,541	2,233	909	76	22	5,861	501	4,629	4,780	14.5	9.4	15.1
Ansonia	18,930	1	0	29	159	287	28	61	21	1	0	201	17	141	153	15.2	10.6	15.5
Bethany	4,620	0	0	5	20	64	1	11	0	1	0	27	1	37	33	13.9	5.8	15.2
Branford	26,690	2	0	1,007	242	335	11	43	3	3	0	227	2	261	262	12.6	8.5	19.6
Derby	12,460	685	5	400	119	167	7	38	2	3	1	130	0	132	124	13.4	10.4	20.5
East Haven	25,950	1	0	43	198	329	4	50	1	2	0	220	2	205	216	12.7	8.5	16.2
Guilford	19,590	1	0	64	153	233	3	24	0	1	0	119	1	112	134	11.9	6.1	12.6
Haddam	51,840	0	0	257	355	698	63	99	23	1	0	564	25	330	363	13.5	10.9	13.4
Madison	15,360	2	0	42	94	128	0	20	0	2	0	123	0	55	77	8.3	8.0	8.6

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1987

Column Number	Population estimated as of July 1, 1987	Place of Occurrence				Place of Residence										RESIDENT RATES PER 1,000 POPULATION		
		Live Births	Fetal Deaths	Deaths	Marriages	Live Births				Fetal Deaths		Total Deaths		Marriages		Live Births	Deaths	Persons Marrying
						Total		Out-of- Wedlock		All Races	Nonwhite	All Races	Nonwhite	Groom	Bride			
						All Races	Nonwhite	All Races	Nonwhite									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	
HSA II, South Central Cont'd.																		
Meriden	59,700	1,040	4	716	445	992	51	245	21	6	0	545	13	506	492	16.6	9.1	16.7
Milford	52,100	663	2	396	456	660	17	107	2	4	0	458	8	395	414	12.7	8.8	15.5
New Haven	127,080	6,840	76	2,620	1,202	2,326	1,182	1,129	769	26	17	1,438	400	1,023	993	18.3	11.3	15.9
North Branford	13,030	0	0	10	104	150	1	11	0	0	0	82	1	98	90	11.5	6.3	14.4
North Haven	22,530	1	0	59	139	243	8	25	2	1	0	173	3	132	146	10.8	7.7	12.3
Orange	13,500	0	0	37	107	147	3	14	2	1	0	111	0	38	53	10.9	8.2	6.7
Oxford	7,760	1	0	9	64	143	2	13	1	1	0	43	0	44	47	18.4	5.5	11.7
Seymour	14,120	1	0	16	93	219	3	28	0	0	0	119	0	94	99	15.5	8.4	13.7
Shelton	35,280	1	0	173	216	461	8	44	1	6	0	275	2	202	249	13.1	7.8	12.8
Wallingford	40,580	0	0	213	320	539	11	83	2	5	0	401	2	267	273	13.3	9.9	13.3
West Haven	54,340	3	1	369	349	842	134	173	59	12	4	546	24	518	518	15.5	10.0	19.1
Woodbridge	8,240	0	0	14	87	106	4	15	0	0	0	59	0	39	44	12.9	7.2	10.1
HSA III, Eastern																		
Ashford	3,450	0	0	2	25	51	2	6	1	0	0	28	1	35	28	14.8	8.1	18.3
Bozrah	2,290	0	0	4	16	34	1	10	0	0	0	18	0	14	19	14.8	7.9	14.4
Brooklyn	6,420	1	0	9	41	62	2	10	1	2	0	44	2	38	47	9.7	6.9	13.2
Canterbury	3,870	0	0	10	11	61	0	6	0	0	0	25	0	22	23	15.8	6.5	11.6
Chaplin	1,910	1	0	3	13	22	0	0	0	0	0	5	0	13	11	11.5	2.6	12.6
Chester	3,260	1	0	25	47	51	1	5	0	0	0	33	1	25	28	15.6	10.1	16.3
Clinton	12,370	1	0	26	89	186	3	20	0	0	0	108	1	108	111	15.0	8.7	17.7
Colchester	9,370	2	0	33	72	199	6	30	1	0	0	75	1	76	77	21.2	8.0	16.3
Columbia	3,950	0	0	8	25	87	2	9	1	0	0	27	0	24	23	22.0	6.8	11.9

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1987

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1987																		
Column Number	Population estimated as of July 1, 1987	Place of Occurrence				Place of Residence										RESIDENT RATES PER 1,000 POPULATION		
		Live Births	Fetal Deaths	Deaths	Marriages	Live Births				Fetal Deaths		Total Deaths		Marriages		Live Births	Deaths	Persons Marrying
						Total		Out-of- Wedlock		All Races	Nonwhite	All Races	Nonwhite	Groom	Bride			
						All Races	Nonwhite	All Races	Nonwhite									
1		2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA III, Eastern Cont'd.																		
Coventry	9,350	2	0	17	52	168	1	29	1	1	0	59	0	75	58	18.0	6.3	14.2
Cromwell	11,810	0	0	62	93	150	11	24	6	1	0	101	2	112	102	12.7	8.6	18.1
Deep River	4,260	0	0	14	27	67	2	15	1	0	0	38	0	40	39	15.7	8.9	18.5
Durham	5,640	0	0	2	36	63	0	11	0	0	0	23	0	31	34	11.2	4.1	11.5
Eastford	1,050	0	0	2	7	10	0	0	0	0	0	9	0	9	10	9.5	8.6	18.1
East Haddam	6,450	1	0	28	76	100	1	23	0	0	0	40	1	52	60	15.5	6.2	17.4
East Hampton	9,560	0	0	31	62	146	3	26	0	1	0	67	0	70	69	15.3	7.0	14.5
East Lyme	14,870	0	0	20	155	177	5	19	2	0	0	98	0	124	130	11.9	6.6	17.1
Essex	5,500	0	0	54	63	64	3	8	0	0	0	56	0	45	41	11.6	10.2	15.6
Franklin	1,790	1	0	4	4	27	0	4	0	0	0	12	0	5	6	15.1	6.7	6.1
Griswold	9,740	0	0	35	62	139	6	28	2	3	0	84	1	88	89	14.3	8.6	18.2
Groton	42,870	503	6	136	382	930	108	167	35	8	0	260	8	346	328	21.7	6.1	15.7
Haddam	6,820	1	0	11	46	76	3	16	0	0	0	52	0	51	53	11.1	7.6	15.2
Hampton	1,480	0	0	3	9	29	0	7	0	0	0	13	0	7	5	19.6	8.8	8.1
Killingly	15,300	0	0	138	225	228	5	67	4	3	0	168	2	131	128	14.9	11.0	16.9
Killingworth	4,470	1	0	8	31	66	2	7	0	0	0	28	0	23	25	14.8	6.3	10.7
Lebanon	5,490	0	0	3	40	87	4	12	0	1	0	34	1	28	37	15.8	6.2	11.8
Ledyard	14,940	1	0	17	85	208	6	31	1	0	0	60	4	92	105	13.9	4.0	13.2
Lisbon	3,610	0	0	7	11	32	1	9	0	0	0	18	1	26	28	8.9	5.0	15.0
Lyme	1,930	0	0	5	23	21	0	1	0	0	0	12	0	15	9	10.9	6.2	12.4
Mansfield	21,070	2	0	28	102	130	16	34	2	2	0	102	2	72	72	6.2	4.8	6.8
Middlefield	3,940	0	0	0	0	57	1	7	1	0	0	40	0	29	21	14.5	10.2	12.7
Middletown	42,910	1,103	3	821	347	617	118	185	49	5	2	332	29	342	343	14.4	7.7	16.0

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1987

Column Number	Population estimated as of July 1, 1987	Place of Occurrence				Place of Residence										RESIDENT RATES PER 1,000 POPULATION				
		Live Births	Fetal Deaths	Deaths	Marriages	Live Births				Fetal Deaths		Total Deaths		Marriages		Live Births	Deaths	Persons Marrying		
						Total		Out-of- Wedlock		All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite				Groom	Bride
						All Races	Nonwhite	All Races	Nonwhite											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			
HSA III, Eastern Cont'd.																				
Montville	17,040	1	0	15	135	245	9	34	0	4	0	85	3	153	152	14.4	5.0	17.9		
New London	28,860	1,846	11	624	452	495	131	148	51	5	0	303	36	314	295	17.2	10.5	21.1		
North Stonington	4,430	0	0	2	41	54	0	5	0	0	0	14	0	30	36	12.2	3.2	14.9		
Norwich	38,440	1,243	7	662	463	682	67	182	32	1	0	406	14	404	393	17.7	10.6	20.7		
Old Lyme	6,600	0	0	15	83	76	3	10	2	2	0	62	0	50	52	13.5	9.4	15.5		
Old Saybrook	10,060	1	0	84	126	95	3	17	3	0	0	109	2	52	77	9.4	10.8	12.8		
Plainfield	13,350	1	0	70	100	194	1	54	0	1	0	111	0	110	133	14.5	8.3	18.8		
Pomfret	2,970	0	0	3	35	22	0	5	0	0	0	17	0	18	19	7.4	5.7	12.5		
Portland	8,670	0	0	37	102	104	3	15	2	0	0	99	1	64	64	12.0	11.4	14.8		
Preston	4,900	0	0	17	48	41	0	6	0	0	0	33	0	28	26	8.4	6.7	11.0		
Putnam	8,920	668	4	280	54	126	1	25	0	2	0	143	0	85	79	14.1	16.0	18.4		
Salem	2,910	2	0	3	17	60	1	8	1	0	0	11	0	25	23	20.6	3.8	16.5		
Scotland	1,170	0	0	1	11	10	0	2	0	1	0	5	0	4	9	8.5	4.3	11.1		
Sprague	3,070	0	0	6	27	49	1	7	1	1	0	27	0	24	32	16.0	8.8	18.2		
Sterling	2,000	2	0	4	11	33	0	9	0	1	0	15	0	10	9	16.5	7.5	9.5		
Stonington	17,710	0	0	40	246	189	5	31	3	0	0	181	1	118	126	10.7	10.2	13.8		
Thompson	8,520	1	0	30	71	107	2	16	1	1	0	90	0	47	54	12.6	10.6	11.9		
Union	560	0	0	2	5	8	0	0	0	0	0	5	0	1	3	14.3	8.9	7.1		
Voluntown	1,800	0	0	0	25	37	1	10	1	1	0	14	0	18	18	20.6	7.8	20.0		
Waterford	18,880	0	0	134	142	187	12	39	5	0	0	180	3	127	150	9.9	9.5	14.7		
Westbrook	5,550	0	0	10	84	57	0	10	0	0	0	62	0	50	45	10.3	11.2	17.1		
Willington	5,140	0	0	5	8	70	0	11	0	1	0	28	0	30	27	3.6	5.4	11.1		
Windham	21,450	486	4	316	147	366	14	111	6	1	0	209	2	185	189	17.1	9.7	17.4		
Woodstock	5,750	0	0	10	36	68	1	7	1	0	0	45	0	29	35	11.8	7.8	11.1		

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1987

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1987																		
Column Number	Population estimated as of July 1, 1987	Place of Occurrence				Place of Residence										RESIDENT RATES PER 1,000 POPULATION		
		Live Births	Fetal Deaths	Deaths	Marriages	Live Births				Fetal Deaths		Total Deaths		Marriages		Live Births	Deaths	Persons Marrying
						Total		Out-of-Wedlock		All Races	Nonwhite	All Races	Nonwhite	Groom	Bride			
						All Races	Nonwhite	All Races	Nonwhite									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	
HSA IV, North Central	944,810	15,150	106	8,160	7,739	13,682	2,120	3,863	1,211	78	15	8,012	491	6,905	7,198	14.5	8.5	14.9
Andover	2,440	0	0	0	0	48	0	5	0	0	0	5	0	12	11	19.7	2.0	9.4
Avon	13,310	0	0	71	108	177	5	21	2	2	0	104	0	73	84	13.3	7.8	11.8
Berlin	16,240	1	0	47	108	180	4	29	1	0	0	160	1	89	93	11.1	9.9	11.2
Bloomfield	20,430	0	0	132	135	214	103	44	32	0	0	209	38	121	120	10.5	10.2	11.8
Bolton	4,330	1	0	8	38	65	0	10	0	1	0	27	0	28	26	15.0	6.2	12.5
Bristol	61,100	874	5	402	534	913	54	216	24	5	1	487	8	556	550	14.9	8.0	18.1
Burlington	6,600	0	0	3	49	119	3	10	2	1	0	31	0	24	27	18.0	4.7	7.7
Canton	8,020	0	0	14	30	124	4	15	2	0	0	56	0	56	61	15.5	7.0	14.6
East Granby	4,390	0	0	8	11	57	0	6	0	2	0	25	0	28	33	13.0	5.7	13.9
East Hartford	52,040	3	2	223	367	667	106	145	32	5	1	485	10	491	483	12.8	9.3	18.7
East Windsor	9,830	0	0	61	147	161	11	25	5	2	2	86	1	107	108	16.4	8.7	21.9
Ellington	11,340	0	0	28	60	127	5	17	2	2	0	65	1	102	88	11.2	5.7	16.8
Enfield	45,530	2	0	165	408	597	22	83	6	4	0	308	2	319	332	13.1	6.8	14.3
Farmington	19,270	575	19	340	176	225	14	26	3	0	0	134	2	131	141	11.7	7.0	14.1
Glastonbury	27,910	0	0	74	245	322	13	31	2	2	0	176	0	165	196	11.5	6.3	12.9
Granby	9,240	1	0	23	58	128	3	8	1	0	0	63	0	51	61	13.9	6.8	12.1
Hartford	134,050	9,213	57	3,040	1,307	3,050	1,325	1,982	936	20	9	1,271	353	1,107	1,116	22.8	9.5	16.6
Hartland	1,580	0	0	4	11	32	0	2	0	0	0	17	1	11	10	20.3	10.8	13.3
Hebron	6,740	0	0	13	33	149	2	10	0	0	0	27	0	35	38	22.1	4.0	10.8
Manchester	51,590	1,314	9	591	532	705	50	137	17	3	0	472	4	438	483	13.7	9.1	17.9
Martborough	5,210	0	0	2	23	83	0	15	0	0	0	20	0	32	38	15.9	3.8	13.4
New Britain	74,550	2,474	11	915	579	1,216	169	375	76	4	1	819	32	649	644	16.3	11.0	17.3
Newington	29,600	1	0	286	205	285	11	30	2	0	0	252	0	198	214	9.6	8.5	13.9
Plainville	17,730	1	0	74	125	247	12	66	8	0	0	161	3	143	147	13.9	9.1	16.4

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1987

Column Number	Population estimated as of July 1, 1987	Place of Occurrence				Place of Residence										RESIDENT RATES PER 1,000 POPULATION		
		Live Births	Fetal Deaths	Deaths	Marriages	Live Births				Fetal Deaths		Total Deaths		Marriages		Live Births	Deaths	Persons Marrying
						Total		Out-of- Wedlock		All Races	Nonwhite	All Races	Nonwhite	Groom	Bride			
						All Races	Nonwhite	All Races	Nonwhite									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	
HSA IV, North Central																		
Cont'd.																		
Plymouth	11,420	1	0	26	79	157	3	25	1	1	0	85	0	98	91	13.7	7.4	16.5
Rocky Hill	15,750	0	0	163	99	180	10	20	3	0	0	139	2	157	174	11.4	8.8	21.0
Simsbury	23,460	0	0	75	227	287	7	25	1	0	0	131	0	106	115	12.2	5.6	9.4
Somers	9,020	0	0	18	67	97	1	11	0	2	0	50	0	30	46	10.8	5.5	8.4
Southington	39,140	1	0	214	321	497	11	79	4	3	0	282	2	210	258	12.7	7.2	12.0
South Windsor	21,800	0	0	53	191	304	19	31	4	1	0	110	2	132	142	13.9	5.0	12.6
Stafford	10,460	1	0	114	72	180	5	44	3	2	0	94	0	82	74	17.2	9.0	14.9
Suffield	10,870	2	0	19	98	130	2	10	0	1	0	79	2	61	74	12.0	7.3	12.4
Tolland	10,980	1	0	16	60	132	5	19	2	1	0	45	3	48	60	12.0	4.1	9.8
Vernon	30,040	680	3	274	227	476	25	112	10	3	0	219	3	269	264	15.8	7.3	17.7
West Hartford	61,090	2	0	330	476	604	40	90	13	4	1	691	9	327	375	9.9	11.3	11.5
Wethersfield	27,510	0	0	112	229	266	13	30	5	3	0	315	1	142	153	9.7	11.5	10.7
Windsor	27,580	1	0	186	209	352	57	33	11	2	0	208	10	174	160	12.8	7.5	12.1
Windsor Locks	12,620	1	0	36	95	129	6	18	1	2	0	104	1	103	108	10.2	8.2	16.7
HSA V, Northwestern																		
Barkhamsted	3,090	0	0	5	25	31	0	4	0	0	0	16	0	14	17	10.0	5.2	10.0
Beacon Falls	4,480	0	0	6	31	82	1	5	0	0	0	31	0	48	52	18.3	6.9	22.3
Bethel	17,550	0	0	24	99	245	9	52	4	1	0	100	2	110	120	14.0	5.7	13.1
Bethlehem	2,870	0	0	8	31	37	0	3	0	1	0	27	0	21	24	12.9	9.4	15.7
Bridgewater	1,600	0	0	3	15	12	1	4	0	0	0	13	0	7	9	7.5	8.1	10.0
Brookfield	14,650	1	0	15	122	191	7	41	1	3	0	75	2	85	112	13.0	5.1	13.4
Canaan	1,040	0	0	1	13	30	2	9	2	1	0	15	0	15	17	28.8	14.4	30.8
Cheshire	25,280	1	0	93	161	255	6	25	1	1	0	199	3	135	134	10.1	7.9	10.6

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1987

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1987																		
Column Number	Population estimated as of July 1, 1987	Place of Occurrence				Place of Residence										RESIDENT RATES PER 1,000 POPULATION		
		Live Births	Fetal Deaths	Deaths	Marriages	Live Births				Fetal Deaths		Total Deaths		Marriages		Live Births	Deaths	Persons Marrying
						Total		Out-of- Wedlock		All Races	Nonwhite	All Races	Nonwhite	Groom	Bride			
						All Races	Nonwhite	All Races	Nonwhite									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	
HSA V, Northwestern Cont'd.																		
Colebrook	1,300	0	0	3	15	14	0	5	0	0	0	9	0	8	8	10.8	6.9	12.3
Cornwall	1,380	0	0	3	25	16	0	2	0	0	0	12	0	12	12	11.6	8.7	17.4
Danbury	68,950	2,389	12	892	576	1,074	161	330	101	4	0	503	19	562	557	15.6	7.3	16.2
Goshen	2,220	0	0	4	23	38	0	6	0	1	0	10	0	11	10	17.1	4.5	9.5
Hamwinton	5,210	0	0	4	31	48	0	5	0	0	0	33	0	26	27	9.2	6.3	10.2
Kent	2,800	1	0	10	26	28	1	6	1	1	0	50	0	22	18	10.0	10.7	14.3
Litchfield	8,210	2	0	29	97	86	0	13	0	0	0	62	0	45	57	10.5	7.6	12.4
Middlebury	6,310	2	0	39	54	56	2	9	1	0	0	54	0	36	47	8.9	8.6	13.2
Morris	1,980	0	0	2	6	24	1	4	0	0	0	13	0	9	10	12.1	6.6	9.6
Maugaluck	29,410	3	0	56	160	519	18	57	6	0	0	241	1	225	217	17.6	8.2	15.0
New Fairfield	12,300	2	0	11	92	139	5	28	2	1	0	57	1	53	69	11.3	4.6	9.9
New Hartford	5,350	1	0	7	48	89	1	8	1	1	0	33	0	39	37	16.6	6.2	14.2
New Milford	21,910	406	1	228	153	367	10	82	3	1	0	140	2	179	181	16.8	6.4	16.4
Newtown	20,610	0	0	74	178	248	3	40	2	1	0	135	1	113	135	12.0	6.6	12.0
Norfolk	2,240	1	0	3	35	32	1	9	0	0	0	21	0	20	18	14.3	9.4	17.0
North Canaan	3,360	0	0	61	23	18	1	4	1	0	0	35	1	8	9	5.4	10.4	5.1
Prospect	7,590	0	0	23	61	91	4	8	3	1	1	50	2	31	53	12.0	6.6	11.1
Redding	7,960	2	0	1	92	111	2	12	1	0	0	33	0	42	37	13.9	4.1	9.9
Ridgefield	21,960	1	0	30	230	248	6	56	2	0	0	103	0	107	120	11.3	4.7	10.3
Roxbury	1,740	1	0	3	9	16	1	3	0	0	0	11	0	9	6	9.2	6.3	8.6
Salisbury	4,080	1	0	19	46	47	3	11	1	1	0	42	0	22	24	11.5	10.3	11.3
Sharon	2,810	444	3	156	34	28	0	7	0	0	0	25	0	14	13	10.0	8.9	9.6
Shoreham	2,600	0	0	2	22	33	0	4	0	0	0	19	0	14	17	12.7	7.3	11.9

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1987

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1987																		
Column Number	Population estimated as of July 1, 1987	Place of Occurrence				Place of Residence										RESIDENT RATES PER 1,000 POPULATION		
		Live Births	Fetal Deaths	Deaths	Marriages	Live Births				Fetal Deaths		Total Deaths		Marriages		Live Births	Deaths	Persons Marrying
						Total		Out-of- Wedlock		All Races	Nonwhite	All Races	Nonwhite	Groom	Bride			
						All Races	Nonwhite	All Races	Nonwhite									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	
HSA V, Northwest																		
Cont'd.																		
Southbury	15,160	1	0	112	101	150	2	22	0	2	0	233	0	65	75	9.9	15.4	9.2
Thomaston	6,690	0	0	9	56	94	0	11	0	0	0	53	0	47	55	14.1	7.9	15.2
Torrington	32,350	748	2	429	246	479	21	105	13	3	0	353	4	283	275	14.8	10.9	17.2
Narren	1,170	0	0	0	24	10	0	3	0	0	0	11	0	14	11	8.5	9.4	21.4
Washington	3,970	0	0	11	48	48	1	6	0	0	0	31	1	16	15	12.1	7.8	7.8
Waterbury	107,330	2,829	18	1,700	848	1,888	381	541	207	18	7	1,145	96	892	888	17.6	10.7	16.6
Waterbury	20,230	0	0	72	183	236	1	24	0	1	0	164	1	134	144	11.7	8.1	13.7
Winchester	11,260	3	0	125	92	147	5	29	0	0	0	127	0	102	99	13.1	11.3	17.9
Wolcott	14,230	0	0	57	119	150	1	9	0	0	0	113	0	99	94	10.5	7.9	13.6
Woodbury	7,650	1	0	15	64	99	3	11	0	0	0	57	0	71	68	12.9	7.5	18.2
Unknown									1	1								
Out of State*		1,134		1,013		1,225			14	1	1,110		3,395	2,503				

* "Out-of-State" figures in columns 2 and 4 refer to events experienced by Connecticut residents, which occurred out-of-state. "Out-of-State" figures in columns 6-15 reflect events experienced by out-of-state residents, which occurred in Connecticut.

TABLE 3: LIVE BIRTHS TO CONNECTICUT RESIDENTS, 1987

	ALL RACES											NONWHITE										
	AGE OF MOTHER																					
	TOTAL	UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	UN-KNOWN	TOTAL	UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	UN-KNOWN
TOTAL.....	46,941	82	3,941	10,157	16,179	12,219	3,876	477	8	-	2	6,840	49	1,320	2,094	1,831	1,115	374	50	1	-	-
MALE.....	24,123	40	2,011	5,187	8,368	6,271	2,008	233	4	-	1	3,449	27	655	1,031	942	578	188	27	1	-	-
FEMALE.....	22,817	42	1,930	4,970	7,811	5,947	1,868	244	4	-	1	3,390	22	665	1,063	895	536	186	23	-	-	-
UNKNOWN.....	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
PLACE OF DELIVERY																						
HOSPITAL.....	46,786	81	3,931	10,135	16,127	12,171	3,856	475	8	-	2	6,815	48	1,316	2,086	1,831	1,110	373	50	1	-	-
OTHER.....	147	1	10	22	49	43	20	2	-	-	-	25	1	4	8	6	5	1	-	-	-	-
UNKNOWN.....	8	-	-	-	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MARITAL STATUS																						
MOTHER MARRIED.....	35,886	10	1,437	6,715	13,499	10,546	3,272	403	3	-	1	3,337	5	312	892	1,084	745	265	34	-	-	-
MOTHER UNMARRIED.....	11,055	72	2,504	3,442	2,680	1,673	604	74	5	-	1	3,503	44	1,008	1,202	753	370	109	16	1	-	-
PERIOD OF GESTATION																						
UNDER 20 WEEKS.....	7	-	1	5	-	1	-	-	-	-	-	4	-	1	3	-	-	-	-	-	-	-
20-27 WEEKS.....	225	1	30	57	63	63	9	2	-	-	-	61	1	14	22	17	7	-	-	-	-	-
28-31 WEEKS.....	293	3	50	56	103	53	24	4	-	-	-	76	2	23	22	20	4	5	-	-	-	-
32-35 WEEKS.....	1,018	4	112	255	289	266	83	9	-	-	-	228	2	48	82	53	34	8	1	-	-	-
36 WEEKS.....	975	1	104	216	316	236	87	13	2	-	-	194	1	43	50	64	21	12	3	-	-	-
37-39 WEEKS.....	12,644	23	1,022	2,582	4,276	3,431	1,154	152	3	-	1	2,048	17	379	611	561	329	132	19	-	-	-
40 WEEKS OR OVER.....	26,107	35	2,111	5,665	9,215	6,789	2,053	236	3	-	-	3,283	16	643	990	871	567	174	21	1	-	-
NOT STATED.....	5,672	15	511	1,321	1,917	1,380	466	61	-	-	1	946	10	169	314	251	153	43	6	-	-	-
WEIGHT AT BIRTH																						
1000 GRAMS OR LESS.....	333	1	53	85	86	89	16	3	-	-	-	108	1	30	36	23	12	5	1	-	-	-
1001-1500 GRAMS.....	273	2	44	54	93	52	24	4	-	-	-	72	1	16	23	20	8	4	-	-	-	-
1501-2000 GRAMS.....	589	1	75	143	191	125	48	5	-	-	1	154	1	32	51	41	22	6	1	-	-	-
2001-2499 GRAMS.....	1,923	5	251	484	590	424	147	21	1	-	-	483	3	97	159	134	65	19	6	-	-	-
2500-3000 GRAMS.....	7,000	27	832	1,714	2,235	1,612	512	67	1	-	-	1,490	19	342	447	366	231	78	7	-	-	-
3001-3500 GRAMS.....	17,009	31	1,529	3,794	5,969	4,259	1,282	141	4	-	-	2,666	18	519	820	740	423	128	18	-	-	-
3501-4000 GRAMS.....	14,237	10	906	2,889	5,073	3,962	1,248	148	1	-	-	1,413	3	227	446	382	255	89	11	-	-	-
4001-4500 GRAMS.....	4,459	5	214	824	1,581	1,304	463	67	1	-	-	384	3	47	96	108	82	42	6	-	-	-
4501 GRAMS AND OVER.....	884	-	35	153	304	292	89	10	1	-	-	64	-	9	14	21	16	3	-	1	-	-
UNKNOWN.....	234	-	2	17	57	100	47	11	-	-	-	6	-	1	2	2	1	-	-	-	-	-
PLURAL BIRTHS																						
SINGLE.....	45,896	82	3,888	9,979	15,785	11,902	3,782	469	8	-	1	6,693	49	1,302	2,051	1,784	1,090	366	50	1	-	-
TWINS.....	1,011	-	53	174	379	303	94	8	-	-	-	147	-	18	43	53	25	8	-	-	-	-
TRIPLITS.....	29	-	-	4	11	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QUADRUPLITS.....	4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

- NO BIRTHS REPORTED

TABLE 3: LIVE BIRTHS TO CONNECTICUT RESIDENTS, 1987

	WHITE											BLACK										
	AGE OF MOTHER																					
	TOTAL	UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	UN-KNOWN	TOTAL	UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	UN-KNOWN
TOTAL.....	39,792	32	2,601	8,030	14,267	10,991	3,447	416	71	-	1	5,882	48	1,257	1,878	1,515	857	284	43	-	-	-
MALE.....	20,512	13	1,343	4,139	7,383	5,636	1,795	200	31	-	-	2,951	26	623	925	773	437	142	25	-	-	-
FEMALE.....	19,280	19	1,258	3,891	6,884	5,355	1,652	216	40	-	1	2,930	22	634	953	742	419	142	18	-	-	-
UNKNOWN.....	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
PLACE OF DELIVERY																						
HOSPITAL.....	39,663	32	2,595	8,016	14,221	10,948	3,429	414	71	-	1	5,861	47	1,253	1,872	1,510	852	284	43	-	-	-
OTHER.....	121	-	6	14	43	38	18	21	-	-	-	21	1	4	6	5	5	-	-	-	-	-
UNKNOWN.....	8	-	-	-	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MARITAL STATUS																						
MOTHER MARRIED.....	32,309	5	1,119	5,807	12,352	9,698	2,963	361	31	-	1	2,648	5	287	745	831	554	196	30	-	-	-
MOTHER UNMARRIED.....	7,483	27	1,482	2,223	1,915	1,293	484	55	40	-	-	3,234	43	970	1,133	684	303	88	13	-	-	-
PERIOD OF GESTATION																						
UNDER 20 WEEKS.....	3	-	-	2	-	1	-	-	-	-	-	4	-	1	3	-	-	-	-	-	-	-
20-27 WEEKS.....	164	-	16	35	46	56	9	21	-	-	-	61	1	14	22	17	7	-	-	-	-	-
28-31 WEEKS.....	216	1	27	33	83	49	19	4	-	-	-	70	1	22	21	18	3	5	-	-	-	-
32-35 WEEKS.....	786	2	64	172	235	232	73	8	-	-	-	211	2	45	76	47	33	7	1	-	-	-
36 WEEKS.....	776	-	60	165	251	214	74	10	2	-	-	167	1	40	43	54	18	8	3	-	-	-
37-39 WEEKS.....	10,569	61	637	1,963	3,708	3,098	1,020	133	31	-	1	1,745	17	365	545	469	244	88	17	-	-	-
40 WEEKS OR OVER.....	22,787	18	1,460	4,669	8,335	6,213	1,875	215	2	-	-	2,806	16	611	880	704	436	142	17	-	-	-
NOT STATED.....	4,491	5	337	991	1,609	1,128	377	44	-	-	-	818	10	159	288	206	116	34	5	-	-	-
WEIGHT AT BIRTH																						
1000 GRAMS OR LESS..	225	-	23	49	63	77	11	2	-	-	-	106	1	30	36	22	11	5	1	-	-	-
1001-1500 GRAMS.....	200	1	28	31	72	44	20	4	-	-	-	68	1	15	22	19	7	4	-	-	-	-
1501-2000 GRAMS.....	431	-	41	91	150	103	42	4	-	-	-	138	1	32	46	32	20	6	1	-	-	-
2001-2499 GRAMS.....	1,434	2	153	324	455	358	126	15	1	-	-	440	3	90	150	117	59	15	6	-	-	-
2500-3000 GRAMS.....	5,481	7	482	1,260	1,861	1,376	434	66	1	-	-	1,311	18	326	408	311	180	62	6	-	-	-
3001-3500 GRAMS.....	14,309	13	1,005	2,965	5,222	3,829	1,148	121	4	-	-	2,239	18	491	719	593	303	99	16	-	-	-
3501-4000 GRAMS.....	12,809	7	676	2,442	4,686	3,701	1,159	137	1	-	-	1,204	3	220	397	318	201	58	7	-	-	-
4001-4500 GRAMS.....	4,068	2	167	727	1,470	1,221	419	61	-	-	1	315	3	43	87	83	61	32	6	-	-	-
4501 GRAMS AND OVER..	820	-	26	139	283	276	86	10	-	-	-	57	-	9	11	20	14	3	-	-	-	-
UNKNOWN.....	15	-	-	2	5	6	2	-	-	-	-	4	-	1	2	-	1	-	-	-	-	-
PLURAL BIRTHS																						
SINGLE.....	38,915	32	2,568	7,897	13,928	10,707	3,367	448	71	-	1	5,747	48	1,239	1,837	1,470	834	276	43	-	-	-
TWINS.....	846	-	33	129	324	270	80	8	-	-	-	135	-	18	41	45	23	8	-	-	-	-
TRIPLETS.....	29	-	-	4	11	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QUADRUPLETS.....	4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

- 88 BIRTHS REPORTED

NOTE: FIGURES FOR WHITE, BLACK, OTHER RACES, AND UNKNOWN RACE SUM TO THE TOTAL NUMBER OF BIRTHS. ALTHOUGH DATA FOR OTHER RACES AND UNKNOWN RACE ARE NOT PRINTED IN THIS REPORT, THIS INFORMATION IS AVAILABLE UPON REQUEST.

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1987

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
CONNECTICUT																
ALL RACES.....	46,941	3,118	234	82	218	484	803	1,029	1,407	10,157	16,179	12,219	3,876	477	8	2
NONWHITE.....	6,840	817	6	49	92	203	270	333	422	2,094	1,837	1,115	374	50	1	-
HSA 1 SOUTHWESTERN																
ALL RACES.....	8,916	676	163	24	34	110	174	195	295	1,719	2,739	2,499	1,004	123	-	-
NONWHITE.....	1,950	249	-	18	17	70	74	100	123	585	520	308	119	16	-	-
BRIDGEPORT																
ALL RACES.....	2,842	317	2	15	26	66	112	120	184	949	848	399	109	14	-	-
NONWHITE.....	1,030	143	-	11	11	40	42	62	73	362	265	129	34	1	-	-
DARIEN																
ALL RACES.....	224	14	12	-	-	-	2	-	-	8	48	110	52	4	-	-
NONWHITE.....	5	-	-	-	-	-	1	-	-	-	-	1	3	-	-	-
EASTON																
ALL RACES.....	73	4	2	-	-	-	-	1	-	3	19	36	12	2	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FAIRFIELD																
ALL RACES.....	557	28	11	1	-	-	5	4	3	42	165	242	86	9	-	-
NONWHITE.....	15	1	-	-	-	-	-	2	-	1	5	6	1	-	-	-
GREENWICH																
ALL RACES.....	589	27	42	-	1	1	2	1	8	41	171	237	108	19	-	-
NONWHITE.....	31	-	-	-	-	-	1	-	1	3	9	10	6	1	-	-
MONROE																
ALL RACES.....	224	8	2	-	-	1	-	1	3	19	68	102	27	3	-	-
NONWHITE.....	6	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-
NEW CANAAN																
ALL RACES.....	176	6	13	-	-	-	-	-	1	11	37	81	41	5	-	-
NONWHITE.....	4	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-
NORWALK																
ALL RACES.....	1,239	101	9	2	2	13	19	25	40	213	426	343	138	18	-	-
NONWHITE.....	268	44	-	2	1	9	11	16	19	74	77	39	17	3	-	-
STAMFORD																
ALL RACES.....	1,590	115	33	5	5	23	26	29	36	293	514	449	192	18	-	-
NONWHITE.....	494	53	-	5	5	19	16	17	21	122	135	98	48	8	-	-
STRATFORD																
ALL RACES.....	550	23	1	1	-	3	7	12	17	90	222	147	46	5	-	-
NONWHITE.....	65	6	-	-	-	-	3	3	8	18	18	10	3	2	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1987-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
TRUMBULL																
ALL RACES.....	349	14	2	-	-	3	1	-	1	34	110	137	58	5	-	-
NONWHITE.....	16	2	-	-	-	2	-	-	-	2	5	3	3	1	-	-
WESTON																
ALL RACES.....	77	3	7	-	-	-	-	-	-	3	13	42	15	4	-	-
NONWHITE.....	4	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-
WESTPORT																
ALL RACES.....	263	11	15	-	-	-	-	2	1	7	61	108	72	12	-	-
NONWHITE.....	10	-	-	-	-	-	-	-	-	1	3	4	2	-	-	-
WILTON																
ALL RACES.....	163	5	12	-	-	-	-	-	1	6	37	66	48	5	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
HSA 2 SOUTH CENTRAL																
ALL RACES.....	9,069	596	15	19	52	97	145	193	274	1,895	3,241	2,333	721	96	3	-
NONWHITE.....	1,541	192	4	10	32	49	75	80	104	472	406	224	74	15	-	-
ANSONIA																
ALL RACES.....	287	16	1	-	1	2	2	4	7	83	115	62	10	1	-	-
NONWHITE.....	28	6	1	-	1	-	-	3	2	9	11	1	1	-	-	-
BETHANY																
ALL RACES.....	64	2	-	-	1	1	-	-	1	8	16	28	8	1	-	-
NONWHITE.....	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
BRANFORD																
ALL RACES.....	335	18	4	-	-	1	2	5	3	45	125	112	34	8	-	-
NONWHITE.....	11	1	-	-	-	-	-	-	-	2	6	2	1	-	-	-
DERBY																
ALL RACES.....	167	11	-	-	1	5	2	5	3	38	63	39	10	1	-	-
NONWHITE.....	7	-	-	-	1	-	-	-	-	1	4	1	-	-	-	-
EAST HAVEN																
ALL RACES.....	329	15	-	-	2	1	5	9	8	68	135	86	14	1	-	-
NONWHITE.....	4	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-
GUILFORD																
ALL RACES.....	233	12	-	-	-	-	-	-	3	24	67	94	37	7	1	-
NONWHITE.....	3	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-
HAMDEN																
ALL RACES.....	698	38	1	1	-	2	3	5	5	87	263	252	68	12	-	-
NONWHITE.....	63	6	-	1	-	-	1	4	-	21	18	11	6	1	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1987-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER													
	TOTAL	5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN	
MADISON																	
ALL RACES.....	128	1	-	-	-	-	-	-	2	10	44	45	25	2	-	-	
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MERIDEN																	
ALL RACES.....	992	67	-	3	1	11	12	19	38	260	386	209	51	1	1	-	
NONWHITE.....	51	4	-	-	-	-	-	2	5	17	13	9	5	-	-	-	
MILFORD																	
ALL RACES.....	660	48	2	2	1	-	7	12	17	103	269	187	54	8	-	-	
NONWHITE.....	17	1	-	-	-	-	1	-	1	4	6	2	3	-	-	-	
NEW HAVEN																	
ALL RACES.....	2,326	243	3	10	39	67	92	98	130	694	651	388	133	24	-	-	
NONWHITE.....	1,182	167	2	8	29	46	65	66	90	378	290	153	46	11	-	-	
NORTH BRANFORD																	
ALL RACES.....	150	9	-	-	-	-	-	1	1	25	50	53	19	1	-	-	
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
NORTH HAVEN																	
ALL RACES.....	243	12	1	-	1	1	-	2	6	21	104	89	18	1	-	-	
NONWHITE.....	8	-	-	-	-	1	-	-	-	3	1	3	-	-	-	-	
ORANGE																	
ALL RACES.....	147	4	-	-	-	-	1	1	1	6	51	55	31	1	-	-	
NONWHITE.....	3	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	
OXFORD																	
ALL RACES.....	143	4	-	-	-	-	-	3	2	14	53	49	20	2	-	-	
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	
SEYMOUR																	
ALL RACES.....	219	10	-	1	-	-	1	2	3	63	85	51	10	2	1	-	
NONWHITE.....	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	
SHELTON																	
ALL RACES.....	461	15	1	-	1	-	-	4	9	78	186	144	33	6	-	-	
NONWHITE.....	8	-	1	-	-	-	-	-	-	-	4	4	-	-	-	-	
WALLINGFORD																	
ALL RACES.....	539	25	-	-	1	2	2	6	8	84	211	158	60	7	-	-	
NONWHITE.....	11	-	-	-	-	-	-	-	-	1	6	3	-	1	-	-	
WEST HAVEN																	
ALL RACES.....	842	42	2	2	3	4	16	16	27	178	345	188	56	7	-	-	
NONWHITE.....	134	6	-	1	1	2	8	5	6	32	42	26	10	1	-	-	
WOODBIDGE																	
ALL RACES.....	106	4	-	-	-	-	-	1	-	6	22	44	30	3	-	-	
NONWHITE.....	4	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1987-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
HSA 3 EASTERN																
ALL RACES.....	7,720	411	6	8	17	57	128	165	232	1,951	2,848	1,753	503	57	-	1
NONWHITE.....	568	40	-	4	1	10	24	23	36	163	168	102	31	6	-	-
ASHFORD																
ALL RACES.....	51	-	-	-	-	-	-	-	-	12	19	15	5	-	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
BOZRAH																
ALL RACES.....	34	1	-	-	-	-	2	2	1	6	11	9	3	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
BROOKLYN																
ALL RACES.....	62	2	-	-	1	1	-	1	2	14	23	16	4	-	-	-
NONWHITE.....	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
CANTERBURY																
ALL RACES.....	61	2	-	-	-	2	-	-	-	13	20	22	3	1	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHAPLIN																
ALL RACES.....	22	2	-	-	-	-	-	-	1	3	9	8	1	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHESTER																
ALL RACES.....	51	4	-	-	-	-	1	1	2	10	16	13	7	1	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
CLINTON																
ALL RACES.....	186	6	-	-	-	2	2	5	3	33	52	69	19	1	-	-
NONWHITE.....	3	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-
COLCHESTER																
ALL RACES.....	199	9	-	-	-	-	4	1	2	32	90	55	12	3	-	-
NONWHITE.....	6	-	-	-	-	-	-	-	-	1	3	1	1	-	-	-
COLUMBIA																
ALL RACES.....	87	6	-	-	-	-	-	-	-	10	38	29	10	-	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
COVENTRY																
ALL RACES.....	168	8	-	-	-	-	2	4	2	26	63	48	22	1	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
CROMWELL																
ALL RACES.....	150	11	-	-	-	1	2	-	1	17	54	60	12	3	-	-
NONWHITE.....	11	2	-	-	-	-	2	-	-	1	6	-	2	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1987-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
DEEP RIVER																
ALL RACES.....	67	2	-	-	-	-	1	1	1	16	23	14	10	1	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
DURHAM																
ALL RACES.....	63	2	-	-	-	-	-	1	2	4	25	21	8	2	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTFORD																
ALL RACES.....	10	1	-	-	-	-	-	-	-	5	1	4	-	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HADDAM																
ALL RACES.....	100	6	-	-	-	1	-	2	1	11	47	30	8	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
EAST HAMPTON																
ALL RACES.....	146	9	-	-	-	-	2	2	1	27	52	45	17	-	-	-
NONWHITE.....	3	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
EAST LYME																
ALL RACES.....	177	12	-	-	-	-	1	2	-	36	62	62	13	1	-	-
NONWHITE.....	5	1	-	-	-	-	-	1	-	-	1	3	-	-	-	-
ESSEX																
ALL RACES.....	64	1	-	-	-	-	1	-	1	10	24	20	8	-	-	-
NONWHITE.....	3	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-
FRANKLIN																
ALL RACES.....	27	1	-	-	-	-	-	1	-	2	11	12	-	1	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GRISWOLD																
ALL RACES.....	139	9	-	-	-	-	3	2	7	50	50	20	7	-	-	-
NONWHITE.....	6	1	-	-	-	-	-	-	1	3	-	2	-	-	-	-
GROTON																
ALL RACES.....	930	36	1	1	1	3	17	12	22	338	361	134	32	9	-	-
NONWHITE.....	108	7	-	-	-	-	6	1	4	38	35	18	3	3	-	-
HADDAM																
ALL RACES.....	76	1	-	-	-	-	1	1	2	10	26	27	9	-	-	-
NONWHITE.....	3	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-
HAMPTON																
ALL RACES.....	29	2	-	-	-	-	1	-	3	2	9	10	4	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KILLINGLY																
ALL RACES.....	228	12	-	1	2	1	9	7	13	73	82	29	11	-	-	-
NONWHITE.....	5	-	-	1	-	-	-	1	1	1	1	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1987-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
KILLINGWORTH																
ALL RACES.....	66	3	-	-	-	-	-	1	-	9	17	31	7	1	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
LEBANON																
ALL RACES.....	87	3	-	-	1	-	-	-	-	11	40	22	12	1	-	-
NONWHITE.....	4	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-
LEDYARD																
ALL RACES.....	208	8	-	-	-	-	1	4	5	50	78	52	16	2	-	-
NONWHITE.....	6	-	-	-	-	-	-	1	-	-	2	3	-	-	-	-
LISBON																
ALL RACES.....	32	2	-	-	-	-	-	3	-	7	15	7	-	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
LYME																
ALL RACES.....	21	-	-	-	-	-	-	-	1	2	7	7	3	1	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MANSFIELD																
ALL RACES.....	130	11	-	-	-	-	2	4	5	17	44	40	16	2	-	-
NONWHITE.....	16	1	-	-	-	-	-	-	-	1	9	5	1	-	-	-
MIDDLEFIELD																
ALL RACES.....	57	3	-	-	-	-	-	-	1	6	17	27	5	1	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
MIDDLETOWN																
ALL RACES.....	617	31	1	2	3	7	11	16	20	151	258	120	26	3	-	-
NONWHITE.....	118	9	-	2	1	3	5	8	11	30	39	14	4	1	-	-
MONTVILLE																
ALL RACES.....	245	19	-	-	-	-	4	3	9	63	101	56	8	1	-	-
NONWHITE.....	9	1	-	-	-	-	-	-	1	4	2	2	-	-	-	-
NEW LONDON																
ALL RACES.....	495	36	-	-	-	9	13	18	38	180	152	62	21	1	-	1
NONWHITE.....	131	12	-	-	-	1	7	5	9	44	37	21	6	1	-	-
N STONINGTON																
ALL RACES.....	54	4	-	-	-	-	1	-	1	9	26	11	5	1	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORWICH																
ALL RACES.....	682	34	1	-	5	11	21	24	32	240	217	109	21	2	-	-
NONWHITE.....	67	4	-	-	-	2	4	2	6	20	16	12	5	-	-	-
OLD LYME																
ALL RACES.....	76	4	2	-	-	1	1	2	-	12	24	26	9	1	-	-
NONWHITE.....	3	1	-	-	-	-	-	1	-	1	1	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1987-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
OLD SAYBROOK																
ALL RACES.....	95	7	-	-	-	3	1	2	3	12	35	30	8	1	-	-
NONWHITE.....	3	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-
PLAINFIELD																
ALL RACES.....	194	17	-	-	1	1	1	7	11	72	60	33	7	1	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
POMFRET																
ALL RACES.....	22	2	-	-	-	-	-	1	-	3	10	6	2	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PORTLAND																
ALL RACES.....	104	6	-	-	-	1	-	-	1	17	45	27	11	2	-	-
NONWHITE.....	3	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-
PRESTON																
ALL RACES.....	41	2	-	-	-	-	-	-	-	11	19	9	2	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PUTNAM																
ALL RACES.....	126	7	1	-	-	4	3	5	5	41	46	17	2	3	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
SALEM																
ALL RACES.....	60	2	-	-	-	-	-	2	-	7	25	18	7	1	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
SCOTLAND																
ALL RACES.....	10	-	-	-	-	-	-	-	-	1	4	3	1	1	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SPRAGUE																
ALL RACES.....	49	1	-	-	-	-	1	1	-	18	22	5	2	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
STERLING																
ALL RACES.....	33	1	-	1	-	-	1	2	1	5	13	7	3	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
STONINGTON																
ALL RACES.....	189	15	-	-	-	-	1	2	6	43	69	53	14	1	-	-
NONWHITE.....	5	-	-	-	-	-	-	-	-	4	-	1	-	-	-	-
THOMPSON																
ALL RACES.....	107	6	-	-	1	-	-	2	4	24	54	17	5	-	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
UNION																
ALL RACES.....	8	1	-	-	-	-	-	-	-	3	4	-	1	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1987-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
VOLUNTOWN																
ALL RACES.....	37	1	-	1	-	-	1	-	1	9	11	12	2	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
WATERFORD																
ALL RACES.....	187	11	-	1	-	1	1	-	-	36	72	59	13	4	-	-
NONWHITE.....	12	-	-	1	-	1	-	-	-	2	3	2	2	1	-	-
WESTBROOK																
ALL RACES.....	57	1	-	-	-	-	-	1	1	11	20	14	10	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WILLINGTON																
ALL RACES.....	70	2	-	-	1	-	2	2	-	5	24	29	7	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WINDHAM																
ALL RACES.....	366	23	-	1	-	8	12	17	19	103	121	58	25	2	-	-
NONWHITE.....	14	1	-	-	-	1	-	2	2	3	2	3	1	-	-	-
WOODSTOCK																
ALL RACES.....	68	3	-	-	1	-	1	1	1	13	30	14	7	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
HSA 4 NORTH CENTRAL																
ALL RACES.....	13,682	1,010	11	25	81	164	252	326	410	3,030	4,659	3,591	1,017	123	3	1
NONWHITE.....	2,120	266	2	12	31	56	73	98	110	660	568	383	119	9	1	-
ANDOVER																
ALL RACES.....	48	3	-	-	-	1	-	-	1	4	22	14	4	2	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AVON																
ALL RACES.....	177	10	-	-	-	-	-	1	-	8	53	71	37	7	-	-
NONWHITE.....	5	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-
BERLIN																
ALL RACES.....	180	12	-	-	-	-	-	1	1	22	65	71	18	1	-	1
NONWHITE.....	4	3	-	-	-	-	-	-	-	-	1	3	-	-	-	-
BLOOMFIELD																
ALL RACES.....	214	16	1	-	-	1	3	5	4	36	60	75	27	3	-	-
NONWHITE.....	103	11	-	-	-	1	2	5	3	25	22	32	12	1	-	-
BOLTON																
ALL RACES.....	65	4	-	-	-	-	-	-	2	5	19	30	9	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1987-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
BRISTOL																
ALL RACES.....	913	70	3	-	1	5	11	22	23	248	361	196	43	3	-	-
NONWHITE.....	54	9	1	-	-	1	2	2	1	18	20	10	-	-	-	-
BURLINGTON																
ALL RACES.....	119	8	-	-	-	1	2	-	1	11	30	56	14	4	-	-
NONWHITE.....	3	1	-	-	-	-	-	-	-	-	2	-	-	1	-	-
CANTON																
ALL RACES.....	124	5	-	-	-	-	4	1	-	10	55	40	13	1	-	-
NONWHITE.....	4	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-
EAST GRANBY																
ALL RACES.....	57	3	-	-	-	-	-	1	1	7	30	16	2	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HARTFORD																
ALL RACES.....	667	33	2	-	5	2	8	17	15	185	243	153	34	5	-	-
NONWHITE.....	106	5	1	-	2	-	2	1	3	40	35	19	4	-	-	-
EAST WINDSOR																
ALL RACES.....	161	7	-	-	-	-	3	3	-	48	60	41	6	-	-	-
NONWHITE.....	11	1	-	-	-	-	1	1	-	3	3	3	-	-	-	-
ELLINGTON																
ALL RACES.....	127	10	-	-	-	1	-	-	3	18	55	41	8	1	-	-
NONWHITE.....	5	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-
ENFIELD																
ALL RACES.....	597	25	-	-	1	-	3	4	15	132	262	146	33	1	-	-
NONWHITE.....	22	1	-	-	-	-	-	-	-	10	6	5	1	-	-	-
FARMINGTON																
ALL RACES.....	225	11	-	-	-	1	1	-	-	17	78	94	32	2	-	-
NONWHITE.....	14	-	-	-	-	-	-	-	-	2	3	6	3	-	-	-
GLASTONBURY																
ALL RACES.....	322	12	-	-	-	1	-	-	4	29	100	137	44	7	-	-
NONWHITE.....	13	-	-	-	-	-	-	-	-	1	5	4	3	-	-	-
GRANBY																
ALL RACES.....	128	8	-	-	-	-	1	1	-	11	43	56	12	4	-	-
NONWHITE.....	3	1	-	-	-	-	-	-	-	-	1	2	-	-	-	-
HARTFORD																
ALL RACES.....	3,050	374	2	19	55	111	143	155	194	1,076	739	426	122	10	-	-
NONWHITE.....	1,325	189	-	10	20	49	57	66	84	464	314	195	61	5	-	-
HARTLAND																
ALL RACES.....	32	-	-	-	-	-	-	-	-	5	10	16	-	1	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1987-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
HEBRON																
ALL RACES.....	149	9	-	-	-	1	1	-	1	13	58	61	14	-	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
MANCHESTER																
ALL RACES.....	705	31	-	2	2	1	10	9	24	138	273	179	62	5	-	-
NONWHITE.....	50	4	-	1	1	1	1	2	2	11	23	7	1	-	-	-
MARLBOROUGH																
ALL RACES.....	83	5	-	-	-	-	1	1	2	11	20	32	14	2	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW BRITAIN																
ALL RACES.....	1,216	98	-	4	8	15	27	51	46	364	427	213	54	7	-	-
NONWHITE.....	169	25	-	1	4	4	5	13	14	48	53	20	7	-	-	-
NEWINGTON																
ALL RACES.....	285	16	-	-	-	-	-	1	3	39	116	97	27	2	-	-
NONWHITE.....	11	1	-	-	-	-	-	-	-	3	4	2	2	-	-	-
PLAINVILLE																
ALL RACES.....	247	16	-	-	-	1	4	4	8	50	93	71	14	2	-	-
NONWHITE.....	12	1	-	-	-	-	1	-	2	2	3	4	-	-	-	-
PLYMOUTH																
ALL RACES.....	157	16	-	-	-	1	2	1	3	35	58	40	15	2	-	-
NONWHITE.....	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
ROCKY HILL																
ALL RACES.....	180	6	-	-	-	-	1	-	1	19	73	61	25	-	-	-
NONWHITE.....	10	-	-	-	-	-	-	-	-	1	8	-	1	-	-	-
SIMSBURY																
ALL RACES.....	287	13	-	-	-	1	-	1	1	24	97	115	44	4	-	-
NONWHITE.....	7	-	-	-	-	-	-	-	-	-	3	3	1	-	-	-
SOMERS																
ALL RACES.....	97	2	-	-	-	-	-	1	1	12	34	35	9	5	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
SOUTHINGTON																
ALL RACES.....	497	32	-	-	1	3	5	4	11	85	190	144	49	4	1	-
NONWHITE.....	11	2	-	-	1	-	1	1	-	1	2	4	1	-	-	-
SOUTH WINDSOR																
ALL RACES.....	304	19	1	-	-	1	2	1	1	35	109	123	26	6	-	-
NONWHITE.....	19	-	-	-	-	-	-	1	-	1	7	6	4	-	-	-
STAFFORD																
ALL RACES.....	180	15	-	-	2	2	5	6	7	38	68	39	10	3	-	-
NONWHITE.....	5	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1987-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
SUFFIELD																
ALL RACES.....	130	7	-	-	-	-	-	3	1	13	48	49	14	2	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
TOLLAND																
ALL RACES.....	132	8	-	-	1	1	1	2	1	18	60	37	11	-	-	-
NONWHITE.....	5	1	-	-	-	-	-	-	-	1	1	3	-	-	-	-
VERNON																
ALL RACES.....	476	26	1	-	1	4	7	14	22	132	162	106	26	2	-	-
NONWHITE.....	25	2	-	-	-	-	-	1	1	9	4	5	5	-	-	-
WEST HARTFORD																
ALL RACES.....	604	30	1	-	1	2	2	5	4	53	174	259	89	14	1	-
NONWHITE.....	40	3	-	-	1	-	-	-	-	7	12	16	3	-	1	-
WETHERSFIELD																
ALL RACES.....	266	9	-	-	2	4	2	4	2	17	100	106	25	3	1	-
NONWHITE.....	13	2	-	-	2	-	-	1	-	-	3	6	1	-	-	-
WINDSOR																
ALL RACES.....	352	31	-	-	-	3	-	5	5	33	153	114	31	8	-	-
NONWHITE.....	57	4	-	-	-	-	-	4	-	4	23	17	7	2	-	-
WINDSOR LOCKS																
ALL RACES.....	129	10	-	-	1	-	3	2	2	29	61	31	-	-	-	-
NONWHITE.....	6	-	-	-	-	-	-	-	-	4	2	-	-	-	-	-
HSA 5 NORTHWESTERN																
ALL RACES.....	7,554	425	39	6	34	56	104	150	196	1,562	2,692	2,043	631	78	2	-
NONWHITE.....	661	70	-	5	11	18	24	32	49	214	175	98	31	4	-	-
BARKHAMSTED																
ALL RACES.....	31	1	-	-	-	-	-	-	1	3	15	10	1	1	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BEACON FALLS																
ALL RACES.....	82	5	-	-	-	-	1	1	1	13	29	30	6	1	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
BETHEL																
ALL RACES.....	245	13	2	-	-	2	-	-	2	27	105	86	20	3	-	-
NONWHITE.....	9	1	-	-	-	1	-	-	-	-	4	3	1	-	-	-
BETHLEHEM																
ALL RACES.....	37	2	-	-	-	-	-	1	1	5	7	15	7	1	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1987-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
BRIDGEWATER																
ALL RACES.....	12	2	-	-	-	-	-	-	-	2	1	3	4	2	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
BROOKFIELD																
ALL RACES.....	191	7	1	-	-	-	1	3	3	17	75	68	19	5	-	-
NONWHITE.....	7	1	-	-	-	-	-	-	1	-	3	3	-	-	-	-
CANAAN																
ALL RACES.....	30	3	1	-	1	-	-	1	-	8	6	9	4	1	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
CHESHIRE																
ALL RACES.....	255	9	-	-	-	1	1	2	1	20	91	92	43	4	-	-
NONWHITE.....	6	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-
COLEBROOK																
ALL RACES.....	14	1	-	-	-	-	-	-	-	4	4	2	4	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CORNWALL																
ALL RACES.....	16	-	2	-	-	-	1	-	-	1	5	7	1	1	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DANBURY																
ALL RACES.....	1,074	57	5	2	6	11	12	19	22	241	409	263	81	7	1	-
NONWHITE.....	161	14	-	2	5	5	5	5	9	55	42	25	8	-	-	-
GOSHEN																
ALL RACES.....	38	-	3	-	-	-	-	2	1	5	14	15	1	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HARWINTON																
ALL RACES.....	48	4	-	-	-	-	-	-	2	5	22	16	3	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KENT																
ALL RACES.....	28	2	-	-	-	-	-	-	1	5	6	8	8	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
LITCHFIELD																
ALL RACES.....	86	4	2	-	-	-	-	1	1	10	26	37	11	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MIDDLEBURY																
ALL RACES.....	56	3	-	-	-	1	-	2	1	10	17	20	5	-	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
MORRIS																
ALL RACES.....	24	-	-	-	-	-	-	2	-	3	7	8	3	1	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1987-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
NAUGATUCK																
ALL RACES.....	519	22	3	-	1	2	9	7	11	127	214	111	33	4	-	-
NONWHITE.....	18	3	-	-	-	1	2	-	2	3	7	2	-	1	-	-
NEW FAIRFIELD																
ALL RACES.....	139	6	-	-	-	1	-	1	1	18	47	50	19	2	-	-
NONWHITE.....	5	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-
NEW HARTFORD																
ALL RACES.....	89	9	-	-	-	-	-	-	4	9	35	30	11	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NEW MILFORD																
ALL RACES.....	367	15	2	-	1	1	2	4	3	64	149	108	31	4	-	-
NONWHITE.....	10	-	-	-	-	-	-	-	-	1	4	3	2	-	-	-
NEWTOWN																
ALL RACES.....	248	13	1	-	-	-	3	3	1	23	72	110	32	4	-	-
NONWHITE.....	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
NORFOLK																
ALL RACES.....	32	2	-	-	1	-	1	1	2	2	8	9	8	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NORTH CANAAN																
ALL RACES.....	18	2	-	-	-	-	-	-	-	3	9	5	1	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
PROSPECT																
ALL RACES.....	91	13	-	-	-	2	2	-	1	9	38	31	7	1	-	-
NONWHITE.....	4	1	-	-	-	1	-	-	1	-	2	-	-	-	-	-
REDDING																
ALL RACES.....	111	1	1	-	-	-	-	1	1	10	27	55	15	2	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
RIDGEFIELD																
ALL RACES.....	248	11	9	-	-	-	-	2	-	16	74	100	50	6	-	-
NONWHITE.....	6	-	-	-	-	-	-	-	-	-	1	3	1	1	-	-
ROXBURY																
ALL RACES.....	16	1	-	-	-	-	-	-	-	1	5	7	3	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
SALISBURY																
ALL RACES.....	47	1	-	-	-	1	-	-	-	6	15	10	11	3	1	-
NONWHITE.....	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
SHARON																
ALL RACES.....	28	1	-	-	-	-	1	-	-	5	10	5	6	1	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1987-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
SHERMAN																
ALL RACES.....	33	1	3	-	-	-	-	-	-	-	18	12	3	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTHURY																
ALL RACES.....	150	16	3	-	-	-	2	4	2	13	51	55	20	3	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
THOMASTON																
ALL RACES.....	94	5	-	-	-	-	3	2	3	21	38	22	5	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TORRINGTON																
ALL RACES.....	479	23	1	-	1	1	5	9	15	115	178	123	27	5	-	-
NONWHITE.....	21	2	-	-	-	-	1	2	2	5	6	4	1	-	-	-
WARREN																
ALL RACES.....	10	-	-	-	-	-	-	-	-	2	2	5	1	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WASHINGTON																
ALL RACES.....	48	-	-	-	-	-	-	-	1	6	21	16	3	1	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
WATERBURY																
ALL RACES.....	1,888	140	-	4	22	31	51	70	101	623	596	308	71	11	-	-
NONWHITE.....	381	48	-	3	6	10	16	25	32	138	96	43	10	2	-	-
WATERTOWN																
ALL RACES.....	236	7	-	-	1	-	5	3	4	33	97	71	20	2	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
WINCHESTER																
ALL RACES.....	147	12	-	-	-	2	1	3	5	41	52	35	8	-	-	-
NONWHITE.....	5	-	-	-	-	-	-	-	-	3	-	2	-	-	-	-
WOLCOTT																
ALL RACES.....	150	8	-	-	-	-	1	3	4	21	62	45	12	2	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
WOODBURY																
ALL RACES.....	99	3	-	-	-	-	2	3	-	15	35	31	13	-	-	-
NONWHITE.....	3	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-

- NO BIRTHS REPORTED

Although the true definition of low birthweight is less than 2,500 grams, 5.5 pounds falls within this definition.

TABLE 5: FETAL DEATHS OCCURRING IN CONNECTICUT, 1987

	ALL RACES											NONWHITE										
	Age of Mother											Age of Mother										
	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Unknown	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Unknown
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Total	353	27	39	69	98	69	43	8	-	-	-	75	4	14	19	23	11	4	-	-	-	-
Sex:																						
Male	185	14	21	36	56	35	19	4	-	-	-	41	2	8	10	15	4	2	-	-	-	-
Female	158	12	17	32	37	33	23	4	-	-	-	33	2	6	9	7	7	2	-	-	-	-
Unknown	10	1	1	1	5	1	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Place of delivery:																						
Hospitals	347	27	39	68	96	67	42	8	-	-	-	73	4	14	19	23	9	4	-	-	-	-
Other	2	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Unknown	4	-	-	1	2	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Period of gestation:																						
Under 20 weeks	5	-	1	-	1	1	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
20-27 weeks	100	7	13	16	28	25	9	2	-	-	-	24	2	5	7	5	5	-	-	-	-	-
28-31 weeks	20	-	4	3	6	3	4	-	-	-	-	5	-	1	2	2	-	-	-	-	-	-
32-35 weeks	27	3	2	8	8	2	3	1	-	-	-	9	1	1	3	3	-	1	-	-	-	-
36 weeks	6	1	-	1	1	2	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
37-39 weeks	23	1	2	5	9	2	4	-	-	-	-	6	-	-	2	2	2	-	-	-	-	-
40 weeks or over	25	1	1	6	10	5	2	-	-	-	-	3	-	-	-	3	-	-	-	-	-	-
Unknown	147	14	16	30	35	29	19	4	-	-	-	26	-	6	5	8	4	3	-	-	-	-
Weight at birth:																						
1000 grams or less	168	11	23	34	45	33	18	4	-	-	-	35	1	9	10	9	4	2	-	-	-	-
1001-1500 grams	16	-	5	4	2	3	2	-	-	-	-	5	-	2	2	1	-	-	-	-	-	-
1501-2000 grams	20	1	2	4	4	4	5	-	-	-	-	3	-	-	-	3	-	-	-	-	-	-
2001-2499 grams	23	1	3	7	6	2	3	1	-	-	-	7	1	1	3	-	1	1	-	-	-	-
2500-3000 grams	16	2	-	6	5	2	1	-	-	-	-	3	1	-	2	-	-	-	-	-	-	-
3001-3500 grams	26	1	-	7	9	7	2	-	-	-	-	5	-	-	2	2	1	-	-	-	-	-
3501-4000 grams	12	1	-	1	6	2	2	-	-	-	-	4	-	-	-	3	1	-	-	-	-	-
4001-4500 grams	6	-	1	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Over 4500 grams	2	-	-	-	1	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Unknown	64	10	5	4	18	15	9	3	-	-	-	12	1	2	-	4	4	1	-	-	-	-
Plural births:																						
Single	315	23	35	64	85	62	40	6	-	-	-	70	4	12	18	22	10	4	-	-	-	-
Twins	28	3	4	4	7	5	3	2	-	-	-	4	-	2	1	1	-	-	-	-	-	-
Triplets	5	-	-	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown	5	1	-	1	2	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-

TABLE 5: FETAL DEATHS OCCURRING IN CONNECTICUT, 1987

	WHITE											BLACK										
	Age of Mother											Age of Mother										
	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Unknown	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Unknown
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Total	262	14	25	49	72	55	39	8	-	-	-	72	4	13	18	22	11	4	-	-	-	-
Sex:																						
Male	139	9	13	26	41	29	17	4	-	-	-	40	2	8	9	15	4	2	-	-	-	-
Female	115	5	11	22	27	25	21	4	-	-	-	31	2	5	9	6	7	2	-	-	-	-
Unknown	8	-	1	1	4	1	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Place of delivery:																						
Hospitals	258	14	25	48	70	55	38	8	-	-	-	70	4	13	18	22	9	4	-	-	-	-
Other	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Unknown	3	-	-	1	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Period of gestation:																						
Under 20 weeks	3	-	-	-	1	-	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
20-27 weeks	72	2	8	9	22	20	9	2	-	-	-	22	2	4	6	5	5	-	-	-	-	-
28-31 weeks	14	-	3	1	3	3	4	-	-	-	-	5	-	1	2	2	-	-	-	-	-	-
32-35 weeks	18	2	1	5	5	2	2	1	-	-	-	8	1	1	3	2	-	1	-	-	-	-
36 weeks	5	-	-	1	1	2	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
37-39 weeks	17	1	2	3	7	-	4	-	-	-	-	6	-	-	2	2	2	-	-	-	-	-
40 weeks or over	21	1	1	6	7	4	2	-	-	-	-	3	-	-	-	3	-	-	-	-	-	-
Unknown	112	8	10	24	26	24	16	4	-	-	-	26	-	6	5	8	4	3	-	-	-	-
Weight at birth:																						
1000 grams or less	125	7	14	24	33	27	16	4	-	-	-	33	1	8	9	9	4	2	-	-	-	-
1001-1500 grams	11	-	3	2	1	3	2	-	-	-	-	5	-	2	2	1	-	-	-	-	-	-
1501-2000 grams	17	1	2	4	1	4	5	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-
2001-2499 grams	15	-	2	4	6	-	2	1	-	-	-	7	1	1	3	-	1	1	-	-	-	-
2500-3000 grams	13	1	-	4	5	2	1	-	-	-	-	3	1	-	2	-	-	-	-	-	-	-
3001-3500 grams	20	-	-	5	7	6	2	-	-	-	-	5	-	-	2	2	1	-	-	-	-	-
3501-4000 grams	8	1	-	1	3	1	2	-	-	-	-	4	-	-	-	3	1	-	-	-	-	-
4001-4500 grams	6	-	1	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Over 4500 grams	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Unknown	46	4	3	3	14	11	8	3	-	-	-	12	1	2	-	4	4	1	-	-	-	-
Plural births:																						
Single	231	11	23	45	60	50	36	6	-	-	-	67	4	11	17	21	10	4	-	-	-	-
Twins	23	3	2	3	6	4	3	2	-	-	-	4	-	2	1	1	-	-	-	-	-	-
Triplets	5	-	-	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown	3	-	-	1	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-

NOTE: Figures for White, Black, Other Races, and Unknown Race sum to the total number of fetal deaths. Although data for Other Races and Unknown Race are not printed in this report, this information is available upon request.

TABLE 6: CAUSES OF FETAL DEATHS OCCURRING
IN CONNECTICUT, 1987

<u>ICD No.</u>	<u>Causes of Fetal Deaths (ICD Ninth Revision)</u>	<u>TOTAL</u>
	Total, all causes	353
553	Other hernia of abdominal cavity without mention of obstruction or gangrene	1
599	Other disorders of urethra and urinary tract	1
740	Anencephalus and similar anomalies	8
746	Other congenital anomalies of heart	1
753	Congenital anomalies of urinary system	1
758	Chromosomal anomalies	6
759	Other and unspecified congenital anomalies	12
760	Fetus affected by maternal conditions which may be unrelated to present pregnancy	11
761	Fetus affected by maternal complications of pregnancy	40
762	Fetus affected by complications of placenta, cord and membranes	116
763	Fetus or newborn affected by other complications of labor and delivery	1
764	Slow fetal growth and fetal malnutrition	1
765	Disorders relating to short gestation and unspecified low birthweight	27
768	Intrauterine hypoxia and birth asphyxia	16
771	Infections specific to the perinatal period	1
778	Conditions involving the integument and temperature regulation of fetus	1
779	Other and ill-defined conditions originating in the perinatal period	108
799	Other ill-defined and unknown causes of morbidity and mortality	1

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1987

ICD 9TH REVISION	Total	AGE AT DEATH																								UN- KNOWN
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER		
TOTAL, ALL CAUSES.....	28,249	410	16	17	16	13	472	43	31	144	235	347	374	437	466	565	790	1,274	2,180	2,866	3,620	3,910	3,901	6,591	3	
MALE.....	14,213	225	9	13	8	9	264	30	22	110	178	263	266	292	297	371	489	762	1,337	1,695	2,064	2,035	1,722	2,016	-	
FEMALE.....	14,036	185	7	4	8	4	208	13	9	34	57	84	108	145	169	194	301	512	843	1,171	1,556	1,875	2,179	4,575	3	
7-9 CERTAIN OTHER INTESTINAL INFECTIONS.....																										
MALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
FEMALE.....	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10-18 TUBERCULOSIS.....																										
MALE.....	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	
FEMALE.....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	
10-12 TUBERCULOSIS OF THE RESPIRATORY SYSTEM.....																										
MALE.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	
FEMALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
36 MENINGOCOCCAL INFECTION.....																										
MALE.....	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FEMALE.....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
38 SEPTICEMIA.....																										
MALE.....	172	-	-	-	-	1	1	1	-	-	-	1	-	2	4	1	6	12	13	24	28	27	22	30	-	
FEMALE.....	201	2	-	1	-	-	3	-	-	-	-	1	1	1	1	3	1	3	8	14	22	23	43	77	-	
42-44 HUMAN IMMUNODEFICIENCY VIRUS (HIV) INFECTION.....																										
MALE.....	131	1	-	1	-	-	2	2	-	-	3	19	33	30	17	10	8	2	2	1	2	-	-	-	-	
FEMALE.....	22	-	-	-	-	-	-	-	-	-	-	6	6	5	2	1	1	-	-	-	-	1	-	-	-	
90-97 SYPHILIS.....																										
MALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FEMALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ALL OTHER INFECTIONS AND PARASITIC DISEASES.....																										
MALE.....	51	1	-	2	-	-	3	-	1	-	-	1	1	6	2	2	3	1	5	8	7	3	3	5	-	
FEMALE.....	40	1	-	-	-	-	1	-	-	-	1	1	2	3	1	1	1	1	1	2	5	4	6	10	-	
140-208 MALIGNANT NEOPLASMS.....																										
MALE.....	3,577	-	2	1	-	1	4	9	4	6	8	12	23	34	42	97	152	281	436	598	657	517	387	310	-	
FEMALE.....	3,363	-	-	-	-	-	-	3	2	1	6	11	17	48	60	96	160	250	412	462	506	492	398	439	-	
210-239 BENIGN AND UNSPECIFIED NEOPLASMS, CARCINOMA IN SITU.....																										
MALE.....	53	-	-	-	-	-	-	1	-	1	-	2	-	-	1	1	1	3	6	13	11	4	6	3	-	
FEMALE.....	65	-	-	1	-	-	1	2	-	-	2	2	-	-	-	2	2	3	5	16	5	11	12	-	-	
250 DIABETES MELLITIS.....																										
MALE.....	218	-	-	-	-	-	-	-	-	-	-	2	2	6	5	11	9	11	28	27	36	38	22	21	-	
FEMALE.....	280	-	-	-	-	-	-	-	-	-	-	2	3	1	4	2	4	10	21	31	35	55	43	69	-	
280-285 ANEMIAS.....																										
MALE.....	20	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	2	3	5	1	4	-	
FEMALE.....	30	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	2	-	3	3	19	-	

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1987-Continued

ICD 9TH REVISION	Total	AGE AT DEATH																									
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN		
441-448 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES																											
MALE.....	199	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	-	5	20	24	35	42	35	31	-		
FEMALE.....	140	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	5	8	23	22	28	47	-			
480-486 PNEUMONIA																											
MALE.....	449	-	2	1	1	-	4	-	-	1	5	2	6	5	5	6	7	16	32	32	74	82	172	-			
FEMALE.....	521	-	-	-	-	-	-	-	1	1	-	2	2	1	3	1	6	12	13	27	54	86	312	-			
487 INFLUENZA																											
MALE.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-			
FEMALE.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
490-496 CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS																											
MALE.....	494	-	-	-	-	-	-	1	1	-	1	1	2	2	5	8	10	50	50	83	104	90	85	-			
FEMALE.....	409	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-			
531-533 ULCER OF STOMACH AND DUODENUM																											
MALE.....	30	-	-	-	-	-	-	-	1	-	1	1	1	2	3	7	8	18	27	44	70	66	74	-			
FEMALE.....	38	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	3	6	7	4	5	-			
550-553, 560 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION																											
MALE.....	25	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	2	6	1	4	9	-		
FEMALE.....	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	6	9	27	-			
571 CHRONIC LIVER DISEASE AND CIRRHOSIS																											
MALE.....	197	-	-	-	-	-	-	-	-	-	4	5	6	12	17	24	21	32	27	22	13	10	4	-			
FEMALE.....	102	-	-	-	-	-	-	-	-	-	1	5	6	8	4	8	9	13	16	11	13	6	2	-			
580-589 NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS																											
MALE.....	140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
FEMALE.....	152	-	2	-	-	-	2	-	-	1	-	2	-	1	3	3	7	9	20	17	16	25	36	-			
590 INFECTIONS OF KIDNEY																											
MALE.....	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-			
FEMALE.....	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
600 HYPERPLASIA OF PROSTATE																											
MALE.....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	2	6	-			
740-759 CONGENITAL ANOMALIES																											
MALE.....	72	47	-	-	2	1	50	1	-	2	1	1	2	4	-	1	2	2	-	1	2	1	-	1	-		
FEMALE.....	52	38	2	-	-	-	40	-	-	-	1	1	-	1	3	-	-	-	1	1	-	2	1	-	-		

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1987-Continued

ICD 9TH REVISION	Total	AGE AT DEATH																								
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN	
		1																								
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																										
MALE	125	125	-	-	-	-	125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FEMALE	103	103	-	-	-	-	103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
798.0 SUDDEN INFANT DEATH SYNDROME																										
MALE	19	19	-	-	-	-	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FEMALE	13	13	-	-	-	-	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E800-E949 ACCIDENTS																										
MALE	652	2	2	7	3	5	19	9	11	61	90	77	52	57	32	19	24	20	33	20	25	40	21	34	-	
FEMALE	291	4	2	2	4	1	13	3	2	13	21	19	16	7	9	7	9	11	11	14	24	27	25	60	-	
E810-E825 MOTOR VEHICLE ACCIDENTS																										
MALE	346	-	-	3	3	2	8	5	11	53	70	53	28	33	18	6	9	9	12	10	9	8	4	-	-	
FEMALE	111	1	-	1	1	-	3	1	-	12	15	13	12	4	8	2	5	3	3	4	8	9	8	1	-	
E910 ACCIDENTAL DROWNING AND SUBMERSION																										
MALE	38	1	-	1	-	-	2	1	-	4	5	3	8	6	2	2	1	-	1	1	-	-	-	-	-	
FEMALE	7	-	-	-	-	-	1	-	-	1	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	
E950-E959 SUICIDE AND SELF-INFLICTED INJURY																										
MALE	236	-	-	-	-	-	-	-	1	9	22	33	33	18	18	12	9	12	15	13	16	11	10	4	-	
FEMALE	61	-	-	-	-	-	-	-	-	6	6	5	4	4	11	3	6	2	3	4	3	2	2	-	-	
E960-E978 HOMICIDE AND LEGAL INTERVENTION																										
MALE	118	-	-	-	1	-	1	-	1	15	20	29	12	6	7	5	5	9	4	-	2	1	1	-	-	
FEMALE	47	-	1	-	-	-	1	-	2	5	4	10	6	6	3	1	-	3	-	-	2	2	1	1	-	
ALL OTHER CAUSES																										
MALE	1,354	20	4	1	-	-	25	2	2	13	28	61	71	68	44	31	45	43	100	104	146	191	180	200	-	
FEMALE	1,423	14	1	-	4	2	21	4	1	5	9	18	27	36	32	20	22	34	56	103	128	165	240	502	-	

- NO DEATHS REPORTED
NOTE: TABLE IS AVAILABLE BY TOWN OF RESIDENCE

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1987

ICD 9TH REVISION	Total	AGE AT DEATH																									
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN- KNOWN		
TOTAL, ALL CAUSES.....	1,771	114	51	4	61	3	132	13	61	27	33	64	88	94	65	88	116	109	178	187	176	139	109	147	-		
MALE.....	1,041	59	4	4	3	2	72	10	51	24	23	48	60	60	47	67	81	56	118	111	102	67	41	49	-		
FEMALE.....	730	55	1	-	3	1	60	3	1	3	10	16	28	34	18	21	35	53	60	76	74	72	68	98	-		
36 MENINGOCOCCAL INFECTION																											
MALE.....	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
38 SEPTICEMIA																											
MALE.....	21	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	3	3	4	2	3	2	-	-	-		
FEMALE.....	18	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	1	4	2	1	4	-		
42-44 HUMAN IMMUNODEFICIENCY VIRUS (HIV) INFECTION																											
MALE.....	53	1	-	1	-	-	2	1	-	-	2	7	12	15	6	3	3	1	1	-	-	-	-	-	-		
FEMALE.....	13	-	-	-	-	-	-	-	-	-	-	4	3	3	1	1	1	-	-	-	-	-	-	-	-		
90-97 SYPHILIS																											
MALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-		
FEMALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
ALL OTHER INFECTIOUS AND PARASITIC DISEASES																											
MALE.....	5	1	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-		
FEMALE.....	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-		
140-208 MALIGNANT NEOPLASMS																											
MALE.....	218	-	1	1	-	1	3	3	2	2	-	1	3	3	4	14	20	14	36	37	31	21	13	11	-		
FEMALE.....	147	-	-	-	-	-	-	1	-	-	-	1	1	5	3	9	12	18	24	23	12	12	16	10	-		
210-239 BENIGN AND UNSPECIFIED NEOPLASMS, CARCINOMA IN SITU																											
MALE.....	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-		
FEMALE.....	6	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	-	-	1	1	-	-	-	-		
250 DIABETES MELLITIS																											
MALE.....	17	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	2	3	2	1	1	-	-		
FEMALE.....	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	3	2	3	3	2	-		
280-285 ANEMIAS																											
MALE.....	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-		
303 ALCOHOL DEPENDENCE SYNDROME																											
MALE.....	20	-	-	-	-	-	-	-	-	-	-	2	1	1	1	4	5	2	1	-	1	2	-	-	-		
FEMALE.....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
320-322 MENINGITIS																											
FEMALE.....	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
390-448 MAJOR CARDIOVASCULAR DISEASES																											
MALE.....	312	2	-	-	1	-	3	-	-	-	-	4	4	6	11	19	27	23	52	48	43	27	15	30	-		
FEMALE.....	307	2	1	-	-	-	3	1	-	1	1	1	9	7	5	5	14	24	25	33	43	40	32	63	-		

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1987-Continued

ICD 9TH REVISION	Total	AGE AT DEATH																							85 AND OVER	UN- KNOWN
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84			
390-398, 402, 404-429 DISEASES OF THE HEART																										
MALE.....	263	2	-	-	-	-	2	-	-	-	-	4	3	6	8	18	22	19	45	42	39	22	10	23		
FEMALE.....	221	1	1	-	-	-	2	1	-	1	1	1	7	4	5	4	9	17	18	24	29	30	23	45		
390-398 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE																										
MALE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
FEMALE.....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-		
402 HYPERTENSIVE HEART DISEASE																										
MALE.....	11	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	2	-	2	-	1	-		
FEMALE.....	14	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	3	2	-	1	1	2		
404 HYPERTENSIVE HEART AND RENAL DISEASE																										
FEMALE.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-		
410-414 ISCHEMIC HEART DISEASE																										
MALE.....	135	-	-	-	-	-	-	-	-	-	-	1	1	2	3	9	9	13	19	21	24	13	7	13		
FEMALE.....	115	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	10	10	10	17	18	17	27		
415-429 OTHER HEART DISEASE																										
MALE.....	116	2	-	-	-	-	2	-	-	-	-	2	2	4	5	7	11	6	24	19	15	7	3	9		
FEMALE.....	86	1	1	-	-	-	2	1	-	1	1	1	7	2	4	2	4	6	4	11	11	9	4	16		
401, 403 HYPERTENSION WITH OR WITHOUT MENTION OF RENAL DISEASE																										
MALE.....	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	2		
FEMALE.....	7	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	2	-	1	1		
430-438 CEREBROVASCULAR DISEASES																										
MALE.....	34	-	-	-	1	-	1	-	-	-	-	-	1	-	2	1	5	4	6	4	2	1	4	3		
FEMALE.....	68	1	-	-	-	-	1	-	-	-	-	-	-	3	-	-	5	7	5	9	11	8	7	12		
440 ATHEROSCLEROSIS																										
MALE.....	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1		
FEMALE.....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3		
441-448 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES																										
MALE.....	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	2		
FEMALE.....	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2		
480-486 PNEUMONIA																										
MALE.....	26	2	-	-	-	-	2	-	-	-	-	2	1	2	1	3	1	2	3	-	1	3	3	2		
FEMALE.....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	3		

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1987-Continued

ICD 9TH REVISION	Total	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKNOWN
490-496 CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS																									
MALE.....	161	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	3	2	5	1	2	-	-
FEMALE.....	14	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	1	2	1	2	-	1	-	-
531-533 ULCER OF STOMACH AND DUODENUM																									
MALE.....	31	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
550-553, 560 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION																									
FEMALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
571 CHRONIC LIVER DISEASE AND CIRRHOSIS																									
MALE.....	17	-	-	-	-	-	-	-	-	-	-	-	2	-	2	3	3	3	2	-	2	-	-	-	-
FEMALE.....	51	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	1	-	-	-	-	-
580-589 NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS																									
MALE.....	13	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	1	1	-	1	-	1	-	-
FEMALE.....	19	2	-	-	-	-	2	-	-	-	-	1	1	1	-	1	1	2	-	3	2	1	2	1	3
740-759 CONGENITAL ANOMALIES																									
MALE.....	81	6	-	-	-	-	6	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE.....	51	5	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	2	-	3	2	2	2	2	3
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																									
MALE.....	38	38	-	-	-	-	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	37	37	-	-	-	-	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																									
MALE.....	4	4	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	4	4	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E949 ACCIDENTS																									
MALE.....	69	-	1	1	1	1	4	5	3	8	2	7	10	7	5	5	3	1	1	4	1	2	-	1	-
FEMALE.....	17	-	-	-	2	-	2	-	1	-	3	1	-	1	-	-	-	1	1	1	2	2	-	-	4
E810-E825 MOTOR VEHICLE ACCIDENTS																									
MALE.....	32	-	-	1	1	1	3	2	3	6	1	4	3	2	2	-	2	1	1	-	1	1	-	-	-
E910 ACCIDENTAL DROWNING AND SUBMERSION																									
MALE.....	14	-	-	-	-	-	-	1	-	2	-	-	4	3	2	2	-	-	-	-	-	-	-	-	-

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1987-Continued

ICD 9TH REVISION	Total	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
E950-E959 SUICIDE AND SELF-INFLICTED INJURY																									
MALE	15	-	-	-	-	-	-	-	-	-	4	3	5	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
E960-E978 HOMICIDE AND LEGAL INTERVENTION																									
MALE	48	-	-	-	1	-	1	-	-	9	9	18	5	4	3	1	2	1	2	-	-	-	-	-	-
FEMALE	10	-	-	-	-	-	-	-	-	1	1	3	2	1	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER CAUSES																									
MALE	131	4	2	1	-	-	7	-	-	4	5	9	13	18	11	9	8	3	10	10	10	7	6	1	-
FEMALE	88	4	-	-	1	1	6	-	-	-	2	4	8	15	5	2	4	2	3	9	3	9	10	6	-

- NO DEATHS REPORTED

NOTE: This table is available by race categories for White, Black, Other Races, and Race Unknown.

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1987

RESIDENCE	DEATHS UNDER 1 YEAR				AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	WHITE	NON-WHITE	BLACK	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MOS	3-11 MOS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIGIN IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
CONNECTICUT.....	410	290	114	111	193	67	35	47	68	85	228	48	14	32	65
HSA 1 SOUTHWESTERN..	69	36	29	29	34	9	8	9	9	16	37	11	2	5	11
BRIDGEPORT	40	18	21	21	17	5	6	5	7	8	18	4	2	5	9
DARIEN	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
EASTON	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
FAIRFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GREENWICH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MONROE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW CANAAN	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
NORWALK	14	8	6	6	9	1	1	2	1	3	9	3	-	-	2
STAMFORD	6	2	1	1	3	1	1	-	1	3	3	2	-	-	-
STRATFORD	1	-	1	1	1	-	-	-	-	-	1	-	-	-	-
TRUMBULL	3	3	-	-	1	1	-	1	-	1	2	-	-	-	-
WESTON	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
WESTPORT	2	2	-	-	2	-	-	-	-	-	2	2	-	-	-
WILTON	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-
HSA 2 SOUTH CENTRAL.	86	53	33	32	38	18	5	7	17	14	53	16	3	5	14
ANSONIA	1	-	1	1	1	-	-	-	-	-	-	-	-	-	1
BETHANY	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-
BRANFORD	4	4	-	-	1	2	1	-	-	1	2	-	1	-	1
DERBY	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-
EAST HAVEN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GUILFORD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HAMDEN	4	4	-	-	3	-	-	-	1	3	-	-	-	1	-
MADISON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MERIDEN	5	5	-	-	2	1	-	1	1	1	3	2	-	1	-
MILFORD	7	7	-	-	4	2	-	-	1	-	7	2	-	-	-
NEW HAVEN	47	16	31	31	22	8	5	4	8	6	32	11	2	1	8
NORTH BRANFORD	1	1	-	-	1	-	-	-	-	-	-	-	-	-	1
NORTH HAVEN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ORANGE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OXFORD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEYMOUR	3	3	-	-	1	-	-	-	2	-	1	-	-	1	1
SHELTON	2	2	-	-	1	-	-	-	1	-	1	1	-	-	1
WALLINGFORD	6	6	-	-	-	3	-	-	3	2	2	-	-	-	-
WEST HAVEN	3	2	1	-	1	1	-	1	-	-	3	-	-	-	-
WOODBIDGE	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1987-Continued

RESIDENCE	DEATHS UNDER 1 YEAR				AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	WHITE	NON-WHITE	BLACK	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MOS	3-11 MOS	CON- GENE- ITAL ANO- MALI- ES 740- 759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDR- OME 798.0	ALL OTHER CAUSES
HSA 3 EASTERN.....	72	65	7	7	30	14	4	12	12	20	31	5	1	10	11
ASHFORD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOZRAH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKLYN	1	1	-	-	-	-	1	-	-	-	1	-	-	-	-
CANTERBURY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHAPLIN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHESTER	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-
CLINTON	2	2	-	-	1	-	-	-	1	1	1	-	-	-	-
COLCHESTER	4	4	-	-	1	-	-	2	1	1	2	-	-	-	1
COLUMBIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COVENTRY	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-
CROMWELL	2	1	1	1	2	-	-	-	-	1	1	-	-	-	-
DEEP RIVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DURHAM	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-
EASTFORD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HADDAM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HAMPTON	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-
EAST LYME	2	2	-	-	2	-	-	-	-	2	-	-	-	-	-
ESSEX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FRANKLIN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GRISWOLD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GROTON	7	7	-	-	3	1	-	-	3	4	2	-	1	-	1
HADDAM	1	1	-	-	-	-	-	1	-	-	-	-	-	-	1
HAMPTON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KILLINGLY	2	2	-	-	-	-	-	1	1	-	-	-	-	-	2
KILLINGWORTH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEBANON	3	2	1	1	2	1	-	-	-	1	1	-	-	-	1
LEDYARD	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
LISBON	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
LYME	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MANSFIELD	1	1	-	-	1	-	-	-	-	-	1	1	-	-	-
MIDDLEFIELD	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-
MIDDLETOWN	4	1	3	3	1	1	1	1	-	1	1	1	-	1	1
MONTVILLE	4	4	-	-	1	3	-	-	-	3	1	-	-	-	-
NEW LONDON	8	6	2	2	4	-	-	3	1	-	4	1	-	3	1
N STONINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORWICH	7	7	-	-	3	-	-	2	2	1	3	-	-	2	1
OLD LYME	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OLD SAYBROOK	3	3	-	-	1	-	-	1	1	1	-	-	-	1	1

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1987-Continued

RESIDENCE	DEATHS UNDER 1 YEAR				AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	WHITE	NON-WHITE	BLACK	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MOS	3-11 MOS	CON- GENE- ITAL ANO- MALI- ES 740- 759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDR- OME 798.0	ALL OTHER CAUSES
PLAINFIELD	1	1	-	-	1	-	-	-	-	-	1	1	-	-	-
POHFRET	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PORTLAND	1	1	-	-	1	-	-	-	-	-	1	1	-	-	-
PRESTON	2	2	-	-	-	1	-	-	1	-	1	-	-	1	-
PUTNAM	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-
SALEM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SCOTLAND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SPRAGUE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
STERLING	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-
STONINGTON	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-
THOMPSON	3	3	-	-	-	2	1	-	-	1	1	-	-	-	1
UNION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VOLUNTOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERFORD	1	1	-	-	-	-	1	-	-	-	1	-	-	-	-
WESTBROOK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WILLINGTON	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-
WINDHAM	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-
WOODSTOCK	1	1	-	-	-	-	-	1	-	-	-	-	-	1	-
HSA 4 NORTH CENTRAL	131	95	35	34	61	20	15	13	22	25	74	10	3	11	21
ANDOVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AVON	2	2	-	-	1	-	-	-	1	-	1	-	-	-	1
BERLIN	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-
BLOOMFIELD	3	-	3	3	3	-	-	-	-	-	3	-	-	-	-
BOLTON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BRISTOL	13	13	-	-	6	3	1	1	2	8	4	1	1	-	1
BURLINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CANTON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST GRANBY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HARTFORD	7	7	-	-	1	2	-	1	3	1	2	-	-	2	2
EAST WINDSOR	2	2	-	-	2	-	-	-	-	-	2	-	-	-	-
ELLINGTON	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-
FMFIELD	2	2	-	-	1	1	-	-	-	-	2	-	-	-	-
FARMINGTON	5	5	-	-	2	-	1	1	1	-	2	-	-	-	3
GLASTONBURY	2	2	-	-	-	-	2	-	-	-	2	-	-	-	-
GRANBY	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-
HARTFORD	43	15	28	28	21	6	4	5	7	4	28	5	1	3	8
HARTLAND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HEBRON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MANCHESTER	2	2	-	-	-	2	-	-	-	1	1	-	-	-	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1987-Continued

RESIDENCE	DEATHS UNDER 1 YEAR				AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	WHITE	NON-WHITE	BLACK	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MOS	3-11 MOS	CON- NCE- INITIAL ANO- MALI- ES 740- 759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDR- OME 798.0	ALL OTHER CAUSES
MARLBOROUGH	1	1	-	-	1	-	-	-	-	-	1	1	-	-	-
NEW BRITAIN	15	12	3	2	9	3	1	-	2	4	9	1	-	1	1
NEWINGTON	4	4	-	-	3	-	1	-	-	2	2	-	-	-	-
PLAINVILLE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PLYMOUTH	1	1	-	-	-	-	1	-	-	-	-	-	-	-	1
ROCKY HILL	1	1	-	-	-	-	1	-	-	1	-	1	-	-	-
SIMSBURY	2	2	-	-	2	-	-	-	-	-	2	-	-	-	-
SOMERS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTHINGTON	2	2	-	-	1	-	-	1	-	1	1	-	-	-	-
SOUTH WINDSOR	3	3	-	-	2	-	-	-	1	-	2	-	-	-	1
STAFFORD	1	1	-	-	1	-	-	-	-	-	1	1	-	-	-
SUFFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOLLAND	1	1	-	-	-	-	-	-	1	-	-	-	-	-	1
VERNON	6	6	-	-	2	2	-	1	1	-	3	-	-	1	2
WEST HARTFORD	8	7	-	-	1	1	2	2	2	1	3	1	-	4	-
WETHERSFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WINDSOR	2	1	1	1	1	-	-	1	-	1	1	-	-	-	-
WINDSOR LOCKS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 5 NORTHWESTERN..	52	41	10	9	30	6	2	6	8	10	33	6	5	1	8
BARKHAMSTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BEACON FALLS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BETHEL	3	3	-	-	-	1	1	1	-	-	2	-	-	-	1
BETHLEHEM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BRIDGEWATER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKFIELD	2	2	-	-	2	-	-	-	-	-	2	-	-	-	-
CANAAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHESHIRE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COLEBROOK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CORNWALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DANBURY	3	2	1	1	2	-	-	-	1	1	1	-	-	-	1
GOSHEN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HARWINTON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KENT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LITCHFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MIDDLEBURY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MORRIS	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-
NAUGATUCK	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-
NEW FAIRFIELD	2	1	1	1	1	-	-	-	1	-	1	1	-	-	1
NEW HARTFORD	4	3	-	-	-	2	1	1	-	2	1	-	-	-	1

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1987-Continued

RESIDENCE	DEATHS UNDER 1 YEAR				AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	WHITE	NON-WHITE	BLACK	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MOS	3-11 MOS	CON- GE- NITAL ANO- MALI- ES 740- 759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-7'9	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDR- OME 798.0	ALL OTHER CAUSES
NEW MILFORD	1	-	1	-	-	-	-	-	1	-	-	-	-	-	1
NEWTOWN	4	4	-	-	2	1	-	1	-	3	1	1	-	-	-
NORFOLK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CANAAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PROSPECT	4	3	1	1	3	-	-	-	1	1	3	-	1	-	-
REDDING	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RIDGEFIELD	2	2	-	-	1	-	-	1	-	-	2	-	-	-	-
ROXBURY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SALISBURY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHARON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHERMAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTHBURY	2	2	-	-	2	-	-	-	-	-	2	2	-	-	-
THOMASTON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TORRINGTON	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-
WARREN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WASHINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERBURY	18	12	6	6	14	1	-	2	1	1	14	2	4	1	2
WATERTOWN	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
WINCHESTER	3	3	-	-	2	-	-	-	1	-	2	-	-	-	1
WOLCOTT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WOODBURY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

- NO DEATHS REPORTED

NOTE: FIGURES FOR WHITE, BLACK, OTHER RACES, AND UNKNOWN RACE SUM TO THE TOTAL NUMBER OF INFANT DEATHS. DATA FOR OTHER RACES AND UNKNOWN RACE ARE NOT PRINTED IN THIS REPORT.

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1987

ALL RACES

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
TOTAL, ALL CAUSES.....	410	193	67	22	6	7	295	31	16	20	10	12	7	4	6	4	4	1
MALE.....	225	104	40	13	2	4	163	13	9	15	7	7	5	1	3	1	1	-
FEMALE.....	185	89	27	9	4	3	132	18	7	5	3	5	2	3	3	3	3	1
001-139 INFECTIVE AND PARASITIC DISEASES																		
MALE.....	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-
FEMALE.....	4	-	1	1	-	-	2	-	-	-	-	1	-	-	-	-	1	-
390-398, 402, 404-429 DISEASES OF THE HEART																		
MALE.....	3	-	1	1	-	-	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE.....	4	-	1	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-
460-519 DISEASES OF THE RESPIRATORY SYSTEM																		
MALE.....	10	-	1	-	-	1	2	1	1	1	-	3	-	-	1	-	1	-
FEMALE.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
480-486 PNEUMONIA																		
MALE.....	2	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
520-579 DISEASES OF THE DIGESTIVE SYSTEM																		
MALE.....	2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
740-759 CONGENITAL ANOMALIES																		
MALE.....	47	16	15	4	1	1	37	5	1	1	1	1	-	-	1	-	-	-
FEMALE.....	38	18	6	3	-	1	28	3	2	2	-	1	-	1	-	1	-	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																		
MALE.....	125	87	23	7	1	1	119	2	-	3	1	-	-	-	-	-	-	-
FEMALE.....	103	69	17	4	3	1	94	2	1	-	-	1	1	1	1	1	1	-
765 DISORDERS RELATING TO SHORT GESTATION AND LOW BIRTH WEIGHT																		
MALE.....	28	26	1	-	-	-	27	-	-	1	-	-	-	-	-	-	-	-
FEMALE.....	20	18	2	-	-	-	20	-	-	-	-	-	-	-	-	-	-	-
767 BIRTH TRAUMA																		
MALE.....	4	-	3	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1987-Continued

ALL RACES

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
768 INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA																		
MALE.....	9	7	2	-	-	-	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	5	5	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																		
MALE.....	19	-	-	-	-	-	-	3	5	4	4	-	2	-	1	-	-	-
FEMALE.....	13	-	-	-	-	1	1	5	2	1	1	1	-	1	1	-	-	-
E800-E949 ACCIDENTS																		
MALE.....	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE.....	4	-	1	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-
E911-E912 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT																		
FEMALE.....	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER CAUSES																		
MALE.....	14	-	-	1	-	1	2	2	1	5	1	2	1	-	-	-	1	-
FEMALE.....	17	2	1	1	1	-	5	5	1	1	2	-	-	-	1	-	1	1

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1987-Continued

NONWHITE

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL	UNDER	1-6	7-13	14-20	21-27	UNDER	28	2	3	4	5	6	7	8	9	10	11
	UNDER 1 YEAR	1 DAY	DAYS	DAYS	DAYS	DAYS	4 WEEKS	DAYS TO 2 MOS.	MOS.	MOS.	MOS.	MOS.	MOS.	MOS.	MOS.	MOS.	MOS.	MOS.
TOTAL, ALL CAUSES.....	114	59	17	7	2	3	88	8	3	6	2	1	1	-	2	2	1	-
MALE.....	59	30	11	4	-	2	47	3	2	3	1	1	1	-	-	1	-	-
FEMALE.....	55	29	6	3	2	1	41	5	1	3	1	-	-	-	2	1	1	-
001-139 INFECTIVE AND PARASITIC DISEASES																		
MALE.....	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-
390-398, 402, 404-429 DISEASES OF THE HEART																		
MALE.....	2	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
460-519 DISEASES OF THE RESPIRATORY SYSTEM																		
MALE.....	2	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
480-486 PNEUMONIA																		
MALE.....	2	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
740-759 CONGENITAL ANOMALIES																		
MALE.....	6	1	2	2	-	-	5	1	-	-	-	-	-	-	-	-	-	-
FEMALE.....	5	1	1	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																		
MALE.....	38	29	7	1	-	1	38	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	37	27	5	2	1	-	35	-	-	-	-	-	-	-	1	1	-	-
765 DISORDERS RELATING TO SHORT GESTATION AND LOW BIRTH WEIGHT																		
MALE.....	11	10	1	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	5	3	2	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-
767 BIRTH TRAUMA																		
MALE.....	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
768 INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA																		
MALE.....	3	2	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	3	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1987-Continued

NONWHITE

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
798.0 SUDDEN INFANT DEATH SYNDROME																		
MALE.....	4	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-
FEMALE.....	4	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-	-	-
ALL OTHER CAUSES																		
MALE.....	4	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-
FEMALE.....	7	1	-	1	1	-	3	-	-	1	1	-	-	-	1	-	1	-

- NO DEATHS REPORTED

NOTE: This table is available by race categories for White, Black, Other Races, and Race Unknown.

TABLE 11: LEADING CAUSES OF DEATH IN CERTAIN AGE GROUPS, CONNECTICUT, 1987

CAUSES OF DEATH (ICD 9th Revision)	Total Deaths	Age-Specific Death Rate Per 100,000	Per Cent Within Age Group	Male Deaths	Age-Specific Male Rate Per 100,000	Per Cent Within Age Group	Female Deaths	Age-Specific Female Rate Per 100,000	Percent Within Age Group
All Causes (Under 1 yr.)*	410	8.7	100.0	225	9.3	100.0	185	8.1	100.0
Certain conditions originating in perinatal period (760-779)	228	4.9	55.5	125	5.2	55.6	103	4.5	55.4
Congenital anomalies (740-759)	85	1.8	20.8	47	1.9	20.9	38	1.7	20.7
Sudden infant death syndrome (798.0)	32	0.7	7.8	19	0.8	8.4	13	0.6	7.1
Diseases of the heart (390-398, 402, 404-429)	7	0.1	1.7	3	0.1	1.3	4	0.2	2.2
Accidents, total (E800-E949)	6	0.1	1.5	2	0.1	0.9	4	0.2	2.2
Cerebrovascular Diseases (430-438)	4	0.1	1.0	2	0.1	0.9	2	0.1	1.1
Influenza and pneumonia (480-487)	2	0.0	0.5	2	0.1	0.9	0	0.0	0.0
Septicaemia (58)	2	0.0	0.5	0	0.0	0.0	2	0.1	1.1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	2	0.0	0.5	0	0.0	0.0	2	0.1	1.1
All other causes	42	0.9	10.3	25	1.0	11.1	17	0.7	9.2
All Causes (1-14 years)	136	23.9	100.0	91	31.3	100.0	45	16.2	100.0
Accidents, total (E800-E949)	51	9.0	37.5	37	12.7	40.7	14	5.0	31.1
Motor Vehicle Accidents (E810-E825)	27	4.8	19.9	24	8.3	26.4	3	1.1	6.7
Malignant neoplasms (140-208)	22	3.9	16.2	17	5.9	18.7	5	1.8	11.1
Diseases of the heart (390-398, 402, 404-429)	9	1.6	6.6	6	2.1	6.6	3	1.1	6.7
Congenital anomalies (740-759)	6	1.1	4.4	4	1.4	4.4	2	0.7	4.4
Homicides and legal intervention (E960-E978)	5	0.9	3.7	2	0.7	2.2	3	1.1	6.7
Influenza and pneumonia (480-487)	3	0.5	2.2	2	0.7	2.2	1	0.4	2.2
Septicaemia (58)	3	0.5	2.2	2	0.7	2.2	1	0.4	2.2
Human immunodeficiency virus (HIV) infection (42-44)	3	0.5	2.2	3	1.0	3.3	0	0.0	0.0
Chronic obstructive pulmonary disease and allied conditions (490-496)	3	0.5	2.2	2	0.7	2.2	1	0.4	2.2
All other causes	31	5.5	22.8	16	5.5	17.6	15	5.4	33.3
All Causes (15-24 years)	379	74.7	100.0	288	112.6	100.0	91	36.2	100.0
Accidents, total (E800-E949)	185	36.5	48.8	151	59.0	52.4	34	13.5	37.4
Motor Vehicle Accidents (E810-E825)	150	29.6	39.6	123	48.1	42.7	27	10.7	29.7
Homicides and legal intervention (E960-E978)	44	8.7	11.6	35	13.7	12.2	9	3.6	9.9
Suicide (E950-E959)	43	8.5	11.3	31	12.1	10.8	12	4.8	13.2
Malignant neoplasms (140-208)	21	4.1	5.5	14	5.5	4.9	7	2.8	7.7
Diseases of the heart (390-398, 402, 404-429)	12	2.4	3.2	4	1.6	1.4	8	3.2	8.8
Congenital anomalies (740-759)	4	0.8	1.1	3	1.2	1.0	1	0.4	1.1
Human immunodeficiency virus (HIV) infection (42-44)	3	0.6	0.8	3	1.2	1.0	0	0.0	0.0
Influenza and pneumonia (480-487)	2	0.4	0.5	1	0.4	0.3	1	0.4	1.1
Chronic obstructive pulmonary disease and allied conditions (490-496)	2	0.4	0.5	1	0.4	0.3	1	0.4	1.1
Cerebrovascular Diseases (430-438)	1	0.2	0.3	0	0.0	0.0	1	0.4	1.1
All other causes	62	12.2	16.4	45	17.6	15.6	17	6.8	18.7
All Causes (25-44 years)	1,624	159.0	100.0	1,118	222.7	100.0	506	97.5	100.0
Accidents, total (E800-E949)	269	26.3	16.6	218	43.4	19.5	51	9.8	10.1
Malignant neoplasms (140-208)	247	24.2	15.2	111	22.1	9.9	136	26.2	26.9
Diseases of the heart (390-398, 402, 404-429)	195	19.1	12.0	148	29.5	13.2	47	9.1	9.3
Motor Vehicle Accidents (E810-E825)	169	16.6	10.4	132	26.3	11.8	37	7.1	7.3
Suicide (E950-E959)	126	12.3	7.8	102	20.3	9.1	24	4.6	4.7
Human immunodeficiency virus (HIV) infection (42-44)	118	11.6	7.3	99	19.7	8.9	19	3.7	3.8
Homicides and legal intervention (E960-E978)	79	7.7	4.8	54	10.8	4.7	25	4.8	4.9
Chronic liver disease and cirrhosis (571)	47	4.6	2.9	27	5.4	2.4	20	3.9	4.0
Cerebrovascular disease (430-438)	38	3.7	2.3	22	4.4	2.0	16	3.1	3.2
Diabetes mellitus (250)	25	2.4	1.5	15	3.0	1.3	10	1.9	2.0
Influenza and pneumonia (480-487)	23	2.3	1.4	18	3.6	1.6	5	1.0	1.0
All other causes	457	44.8	28.1	304	60.6	27.2	153	29.5	30.2

TABLE 11: LEADING CAUSES OF DEATH IN CERTAIN AGE GROUPS, CONNECTICUT, 1987

CAUSES OF DEATH (ICD 9th Revision)	Total Deaths	Age-Specific Death Rate Per 100,000	Per Cent Within Age Group	Male Deaths	Age-Specific Male Rate Per 100,000	Per Cent Within Age Group	Female Deaths	Age-Specific Female Rate Per 100,000	Per Cent Within Age Group
<u>All Causes (45-64 years)</u>	4,809	721.8	100.0	2,959	927.3	100.0	1,850	532.8	100.0
Malignant neoplasms (140-208)	1,884	282.8	39.2	966	302.7	32.6	918	264.4	49.6
Diseases of the heart (390-398, 402, 404-429)	1,494	224.2	31.1	1,057	331.3	35.7	437	125.9	23.6
Cerebrovascular disease (430-438)	172	25.8	3.6	94	29.5	3.2	78	22.5	4.2
Accidents, total (E800-E949)	134	20.1	2.8	96	30.1	3.2	38	10.9	2.1
Chronic obstructive pulmonary disease and allied conditions (490-496)	133	20.0	2.8	73	22.9	2.5	60	17.3	3.2
Chronic liver disease and cirrhosis (571)	128	19.2	2.7	94	29.5	3.2	34	9.8	1.8
Diabetes mellitus (250)	96	14.4	2.0	59	18.5	2.0	37	10.7	2.0
Suicides (E950-E959)	62	9.3	1.3	48	15.0	1.6	14	4.0	0.8
Pneumonia and influenza (480-487)	56	8.4	1.2	34	10.7	1.1	22	6.3	1.2
All other causes	650	97.6	13.5	438	137.3	14.8	212	61.1	11.5
<u>All Causes (65 years and over)</u>	20,888	4,462.2	100.0	9,532	5,059.2	100.0	11,356	4,060.1	100.0
Diseases of the heart (390-398, 402, 404-429)	8,501	1,816.0	40.7	3,787	2,010.0	39.7	4,714	1,685.4	41.5
Malignant neoplasms (140-208)	4,766	1,018.1	22.8	2,469	1,310.4	25.9	2,297	821.2	20.2
Cerebrovascular disease (430-438)	1,531	327.1	7.3	530	281.3	5.6	1,001	357.9	8.8
Pneumonia and influenza (480-487)	888	189.7	4.3	394	209.1	4.1	494	176.6	4.4
Chronic obstructive pulmonary disease and allied conditions (490-496)	754	161.1	3.6	412	218.7	4.3	342	122.3	3.0
Diabetes mellitus (250)	377	80.5	1.8	144	76.4	1.5	233	83.3	2.1
Septicaemia (58)	310	66.2	1.5	131	69.5	1.4	179	64.0	1.6
Accidents, total (E800-E949)	298	63.7	1.4	148	78.6	1.6	150	53.6	1.3
Atherosclerosis (440)	287	61.3	1.4	86	45.6	0.9	201	71.9	1.8
Nephritis, nephrotic syndrome and nephrosis (580-589)	245	52.3	1.2	114	60.5	1.2	131	46.8	1.2
Chronic liver disease and cirrhosis (571)	124	26.5	0.6	76	40.3	0.8	48	17.2	0.4
All other causes	2,807	599.6	13.4	1,241	658.7	13.0	1,566	559.9	13.8

*Rates for persons under one year per 1,000 live births.

TABLE 12: NUMBER OF PRESENT MARRIAGE FOR BRIDE AND GROOM IN MARRIAGES
OCCURRING IN CONNECTICUT, 1987

		<u>Number for Groom</u>						
<u>Number for Bride</u>	<u>TOTAL</u>	<u>First</u>	<u>Second</u>	<u>Third</u>	<u>Fourth</u>	<u>Fifth</u>	<u>Sixth</u>	<u>Unknown</u>
TOTAL	27,106	19,105	6,725	1,090	112	13	3	58
First	19,413	16,248	2,823	276	28	3	1	34
Second	6,444	2,522	3,256	583	58	5	1	19
Third	1,008	236	558	188	20	4	1	1
Fourth	124	27	60	32	5	-	-	-
Fifth	18	4	7	5	1	1	-	-
Sixth	6	1	3	2	-	-	-	-
Unknown	93	67	18	4	-	-	-	4

TABLE 13: MARITAL STATUS OF BRIDE AND GROOM IN MARRIAGES
OCCURRING IN CONNECTICUT, 1987

		<u>Previous Marital Status of Groom</u>				
<u>Previous Marital Status of Bride</u>	<u>TOTAL</u>	<u>Single</u>	<u>Widowed</u>	<u>Divorced</u>	<u>Annulled</u>	<u>Unknown</u>
TOTAL	27,106	19,105	627	7,121	98	155
Single	19,413	16,248	102	2,915	70	78
Widowed	589	101	228	258	1	1
Divorced	6,716	2,523	285	3,841	24	43
Annulled	112	62	5	41	3	1
Unknown	276	171	7	66	-	32

TABLE 14: COUNTY OF DISSOLUTION OF MARRIAGES, CONNECTICUT, 1987

<u>COUNTY</u>	<u>TOTAL</u>
CONNECTICUT, TOTAL	12,052
Fairfield	2,685
Hartford	3,125
Litchfield	464
Middlesex	523
New Haven	3,126
New London	1,153
Tolland	618
Windham	358

Sex of Complainant:

Male	3,933
Female	7,882
Joint	1
Not Stated	236

TABLE 15: CHILDREN UNDER 18 AFFECTED BY MARRIAGE DISSOLUTION
CONNECTICUT, 1987

<u>Number of Children Under 18 Years Per Dissolution</u>	<u>Number of Dissolutions</u>
Total	12,052
No children	5,998
One child	2,896
Two children	2,355
Three children	647
Four children	124
Five children	24
Six or more children	6
Not stated	2

TABLE 16: DURATION OF MARRIAGES DISSOLVED, CONNECTICUT, 1987

<u>Year Marriage Was Contracted</u>	<u>Number Marriages Dissolved</u>	<u>Year Marriage Was Contracted</u>	<u>Number Marriages Dissolved</u>
TOTAL	12,052	1973	308
1987	59	1972	331
1986	443	1971	276
1985	863	1970	277
1984	1,009	1969-1965	1,171
1983	947	1964-1960	669
1982	882	1959-1955	364
1981	739	1954-1950	173
1980	726	1949-1945	87
1979	663	1944-1940	33
1978	474	1939-1935	15
1977	392	1934-1930	4
1976	398	Prior to 1930	3
1975	391	Unknown	70
1974	285		

GLOSSARY

Birth Weight	Weight of fetus or infant at time of delivery.
Fetal Death	Death prior to the complete expulsion or extraction from the mother of a product of conception, which has passed through at least the 20th week of gestation. The fetus shows no signs of life such as heartbeat, pulsation of the umbilical cord, or movement of voluntary muscles.
Gestational Period	Number of weeks elapsed between the first day of the last menstrual period and date of delivery.
Health Service Area (HSA)	Five geographic areas used by the Department of Health Services for planning purposes.
Infant Death	Death occurring to an individual of less than 1 year of age.
Live Birth	The complete expulsion or extraction from the mother of a product of conception, irrespective of the duration of pregnancy; after such separation, breathes or shows other signs of life.
Low Birth Weight	Birth wherein the birth weight is less than 2,500 grams (2,500 grams is approximately equal to 5 lbs. 8 oz.).
Maternal Death	Those deaths wherein the physician has designated a maternal condition as the underlying cause of death.
Neonatal Death	Death occurring to an infant less than 28 days of age.
Occurrence	Place where the event actually occurred regardless of residence.
Residence	Usual place of residence for person to whom event occurred. For births and fetal deaths residence is defined as the mother's usual place of residence.

RATE DEFINITIONS

<u>Type</u>	<u>Definition</u>
Age Specific Death Rate:	$\frac{\text{No. of Deaths in Specific Age Group}}{\text{Total Resident Population in Specific Age Group}} \times 100,000$
Crude Birth Rate:	$\frac{\text{No. of Resident Live Births}}{\text{Total Resident Population}} \times 1,000$
Crude Death Rate	$\frac{\text{No. of Resident Deaths}}{\text{Total Resident Population}} \times 1,000$
Divorce Rate:	$\frac{\text{No. of Persons (Divorces \& Annulments)}}{\text{Total Resident Population}} \times 1,000$
Fetal Death Ratio:	$\frac{\text{Fetal Deaths at Place of Occurrence}}{\text{Total of Births at Place of Occurrence}} \times 1,000$
Infant Death Rate:	$\frac{\text{No. of Resident Infant Deaths}}{\text{Total Resident Live Births}} \times 1,000$
Marriage Rate:	$\frac{\text{No. of Persons Married}}{\text{Total Population}} \times 1,000$